






13	12	11	10	9	8	7	6	5	4	3	2	1
MATERIAL NO.	ENGINEERING NO.	LENGTH	WIRE CUT LENGTH									
849070007	84907-0007	12.00 +1.75-0 ( 304.8 +44.5-0 )	13.25 IN ( 336.6mm )									



- NOTES:
1. MATERIALS: SEE TABLE
  2. FINISHES: SEE TABLE
  3. ELECTRICAL SPECIFICATIONS:  
VOLTAGE RATING: 250V  
CURRENT RATING, 4 AMPS
  4. LABEL IS MARKED WITH PART NO., DATE CODE, VOLTAGE AND CURRENT RATING
  5. LABEL IS ATTACHED TO BLUE WIRE (CIR. 3)
  6. ASSEMBLY IS ROHS COMPLIANT BY EXEMPTION (\*).

7	1	LABEL	VINYL	BLACK/YELLOW
6	1	LOCKNUT, PANEL, 1/2 NPT	STEEL	ZINC PLATED
5	1	GASKET	NEOPRENE	BLACK
4	4	CONTACT PIN	BRASS *	TIN PLATED
3	1	INSULATOR, 4/C, DC KEY	NYLON	BLACK
2	1	RECEPTACLE SHELL	STAINLESS STEEL	PASSIVATED
1	4	WIRE, 22 AWG	PVC INSULATION	AS NOTED
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH

RELEASED FOR BUILD  
EC NO: WNA2009-0005  
DRAWN:STONE 2008/07/09  
CHKDK: JOZWIK  
APPR: JF MURPHY 2008/08/18

QUALITY SYMBOLS  
▽=0  
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .005	± .0005
2 PLACES	± .005	± .0005
1 PLACE	± .005	± .0005

ANGULAR ± .005°

DRAFT WHERE APPLICABLE  
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE  
IN/MM

DRAWN BY DATE  
R. STONE 2008/07/02

CHECKED BY DATE  
K. JOZWIK 2008/07/07

APPROVED BY DATE  
J. MURPHY 2008/07/10

MATERIAL NO.  
SEE CHART

SIZE  
C

SCALE  
2:1

DESIGN UNITS  
INCH

THIRD ANGLE PROJECTION

TITLE  
MIC-C RECEPTACLE, 4/C  
MALE, DC KEY, 22 AWG  
1/2 NPT, SS

MOLEX INCORPORATED

DOCUMENT NO.  
SD-84907-012

SHEET NO.  
1 OF 1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[84907-0007](#) [84907-0040](#) [84907-0041](#)