




LOC		DIST		REVISIONS					
FX		00		P	LYR	DESCRIPTION	DATE	OWN	APVD
				S10		REVISED PER ECO-09-009758	23APR2009	DLD	DCM
				S11		REVISED PER ECO-09-028550	29DEC2009	DLD	DCM




KEYING OPTION "A"
1438082-1



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2




- MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

- CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

SEE PINOUT CHARTS		PART NUMBER	
DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		SIZE CAGE CODE DRAWING NO	
PRODUCT SPEC		RESTRICTED TO	
APPLICATION SPEC		A1 00779 C=1438082	
WEIGHT		SCALE 4:1 SHEET 1 OF 5	
CUSTOMER DRAWING		REV S11	


LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
		44							35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
									35																											6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39	37					29					20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																	
45	43						38	36			31				25	24				18	17	16	14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082																	
45	43						38	36			31				25	24						16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081																	
45	43						38	36			32	31			25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																		
45	43					39	38	37	36			31			25	24				18	17	16	14	13	12		9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079																	
				42														20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078																	
				42														20	18				13	11	10							1	3-1438735-7	2LIT-14A464-SD-077																		
45	43					39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076																	
45	43						38	36			31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																	
			43	42		40	39	37					29						20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074															
45	43					39	38	37	36			31			25	24			20	19	18	17		14	13	12		9					2	1	3-1438735-2	2LIT-14A464-SD-073																
45	43						38	36			31				25	24		21	20	19	18	17	16	14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072																	
45	43					39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071																	
45	43						38	36			31				25	24		21	20	19			16	14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070																	
45	43					39	38	37	36			31			25	24		21	20	19			16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069																	
45	43						38	36			31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																	
										33															13						6	5			2	1	2-1438735-5	2LIT-14A464-SD-067														
45	44	43	42		40		38	37	36		33	31			24	22	21	20		18	17	16	15				9	8					2		2-1438735-4	2LIT-14A464-SD-066																
		43									31		29						18								8						2		2-1438735-1	2LIT-14A464-SD-065																
45	43						38	36	35			31			25	24		21				16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064																	
45	43					39	38	37	36	35		31			25	24				18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063																	
45	43						38	36	35		32	31			25	24		21	19	18	17	16	14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062																	
45	43						38	36	35		31				25	24						16	14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061																	
45	43						38	36	35		31				25	24		21	19			16	14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060																	
45	43						38	36	35		31				25	24				18	17	16	14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059																	
45	43					39	38	37	36	35		31			25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058																	
45	43						38	36	35		31				25	24		21	19	18	17	16	14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057																	
			42					37										20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056																
45	43									36	35		31			24		21	19			16	14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055																		
									35					27																		3			1-1438735-0	2LIT-14A464-SD-054																
			43								31		29								18						9	8					2		1438735-9	2LIT-14A464-SD-053																
									35					27														7							1438735-8	2LIT-14A464-SD-052																
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.

DIMENSIONS:

mm



MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

WEIGHT

-

CUSTOMER DRAWING

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

00779

C=1438082

-

SCALE

4:1

SHEET

3

OF

5

REV

S

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-1438082-5](#)