

Housing - SACB-8/ 3P-12CON-M8SI - 1680157

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Housing, connection method: M8 socket, number of slots: 8, number of positions: 3, slot assignment: single, status display: No, Universal

Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 158293
GTIN	4017918158293
Sales Key	02

Technical data

General

Rated voltage	24 V DC
Max. operating voltage U_{max}	30 V DC
Current carrying capacity per I/O signal	2 A
Total rated current	12 A
Number of positions	3
Number of slots	8
Flammability rating according to UL 94	V0
Sensor/actuator connection system	M8 socket

Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-20 °C ... 80 °C

Insulation material

Housing material	Plastic
------------------	---------


Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Drawings


Housing - SACB-8/ 3P-12CON-M8SI - 1680157

Schematic diagram




Pin assignment M 8, 3-pos.

Schematic diagram



Pin assignment socket M8

Schematic diagram



a = Pin assignment M23

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1680157