



NO. OF CKT'S.	DIM. A	DIM. B
2	(3.96±.05) .156±.002	(7.77) .306
3	(7.92±.08) .312±.003	(11.73) .462
4	(11.89±.08) .468±.003	(15.70) .618
5	(15.85±.10) .624±.004	(19.66) .774
6	(19.81±.10) .780±.004	(23.62) .930
7	(23.77±.10) .936±.004	(27.58) 1.086
8	(27.74±.13) 1.092±.005	(31.55) 1.242
9	(31.70±.13) 1.248±.005	(35.51) 1.398
10	(35.66±.13) 1.404±.005	(39.47) 1.554
11	(39.62±.15) 1.560±.006	(43.43) 1.710
12	(43.59±.15) 1.716±.006	(47.40) 1.866
13	(47.55±.15) 1.872±.006	(51.36) 2.022
14	(51.51±.18) 2.028±.007	(55.32) 2.178
15	(55.47±.18) 2.184±.007	(59.28) 2.334
16	(59.44±.18) 2.340±.007	(63.25) 2.490
17	(63.40±.20) 2.496±.008	(67.21) 2.646
18	(67.36±.20) 2.652±.008	(71.17) 2.802

CENTERLINE OF PIN AT TIP
NOT TO VARY FROM
CENTERLINE OF PIN AT DATUM -D-
BY MORE THAN .005 IN ANY DIRECTION

REL 0588/0604 UCR2002-0752 03/11/02 SAMIEC		H1		REL 0574/0587 UCR2001-0262 9-19-00 SAMIEC		H		G3		LTR. REVISIONS	
REL 0588/0604 UCR2002-0752 03/11/02 SAMIEC		H1		REL 0574/0587 UCR2001-0262 9-19-00 SAMIEC		H		G3		LTR. REVISIONS	

I3		I2		I1		I0		9		8		7		6		41772		4		3		2		1			
ENG. NO.		HEADER NO.		PIN NO.		PLATING		DIM. L		DIM. X		DIM. G GOLD		DIM. Y		DIM. Z		DIM. T TIN		DIM. W		NO OF CKTS		VOID CKTS		PACKAGING	
J	A-41772-0368/0377	41770-0009/0018		2161-16(102)		102		(25.40) .1000		(14.86) .585		() N/A		(4.95) .195		(3.56) .140		() OVERALL		90°		9-18		9		BULK PER PK-41772-002	
	A-41772-0378/0394	41770-0002/0018		2161--56(102) *		102		(17.86) .703		(5.94) .234		() N/A		(4.90) .193		(4.45) .175		() OVERALL		90°		2-18				BULK PER PK-41772-001	
I	A-41772-0412/0428	41770-0002/0018		2161-63(102) *		102		(24.38) .960		(15.06) .593		() N/A		(2.71) .107		(4.06) .160		() OVERALL		90°		2-18				BULK PER PK-41772-001	
	A-41772-0429/0445	41770-0002/0018		2161-67(102) *		102		(18.69) .736		(10.48) .413		() N/A		(2.71) .107		(2.92) .115		() OVERALL		90°		2-18				BULK PER PK-41772-001	
	A-41772-0446/0462	41770-0002/0018		2161-21(501)		501		(28.57) .1125		(17.60) .693		() OVERALL		(4.95) .195		(3.99) .157		() N/A		90°		2-18				BULK PER PK-41772-002	
	A-41772-0531/0547	41770-0002/0018		2161-62(102)		102		(24.89) .980		(14.86) .585		() N/A		(4.95) .195		(3.05) .120		() OVERALL		90°		2-18				BULK PER PK-41772-002	
H ▪ ON ASSEMBLIES A-41772-0378 / -0445 THE PIN BEND RADIUS IS TO BE .045 R																											
G																											
F																											
E																											
D A-41772-0368/0377																											
D A-41772-0378/0394																											
D A-41772-0412/0428																											
D A-41772-0429/0445																											
D A-41772-0446/0462																											
D A-41772-0531/0547																											
D EDP NO. ENG. NO. NO OF CKTS EDP NO. ENG. NO. NO OF CKTS EDP NO. ENG. NO. NO OF CKTS EDP NO. ENG. NO. NO OF CKTS EDP NO. ENG. NO. NO OF CKTS EDP NO. ENG. NO. NO OF CKTS																											
D 2 26-60-3029 A-41772-0378 2 27-60-3020 A-41772-0412 2 A-41772-0429 2 27-60-3022 A-41772-0446 2 41772-0531 A-41772-0531 2																											
D 3 26-60-3039 A-41772-0379 3 A-41772-0413 3 A-41772-0430 3 27-60-3032 A-41772-0447 3 41772-0532 A-41772-0532 3																											
D 4 26-60-3049 A-41772-0380 4 A-41772-0414 4 A-41772-0431 4 27-60-3042 A-41772-0448 4 41772-0533 A-41772-0533 4																											
D 5 26-60-3059 A-41772-0381 5 A-41772-0415 5 A-41772-0432 5 27-60-3052 A-41772-0449 5 41772-0534 A-41772-0534 5																											
D 6 26-60-3069 A-41772-0382 6 A-41772-0416 6 27-60-3061 A-41772-0433 6 27-60-3062 A-41772-0450 6 41772-0535 A-41772-0535 6																											
D 7 26-60-3079 A-41772-0383 7 27-60-3070 A-41772-0434 7 27-60-3071 A-41772-0435 7 27-60-3072 A-41772-0451 7 41772-0536 A-41772-0536 7																											
D 8 26-60-3089 A-41772-0384 8 A-41772-0418 8 A-41772-0435 8 27-60-3082 A-41772-0452 8 41772-0537 A-41772-0537 8																											
D A-41772-0368 9 26-60-3099 A-41772-0385 9 A-41772-0419 9 A-41772-0436 9 27-60-3092 A-41772-0453 9 41772-0538 A-41772-0538 9																											
D A-41772-0369 10 26-60-3109 A-41772-0386 10 A-41772-0420 10 A-41772-0437 10 27-60-3102 A-41772-0454 10 41772-0539 A-41772-0539 10																											
D A-41772-0370 11 26-60-3119 A-41772-0387 11 A-41772-0421 11 A-41772-0438 11 27-60-3112 A-41772-0455 11 41772-0540 A-41772-0540 11																											
D 26-62-3125 A-41772-0371 12 26-60-3129 A-41772-0388 12 A-41772-0422 12 A-41772-0439 12 27-60-3122 A-41772-0456 12 41772-0541 A-41772-0541 12																											
D A-41772-0372 13 26-60-3139 A-41772-0389 13 A-41772-0423 13 A-41772-0440 13 27-60-3132 A-41772-0457 13 41772-0542 A-41772-0542 13																											
D A-41772-0373 14 26-60-3149 A-41772-0390 14 A-41772-0424 14 A-41772-0441 14 27-60-3142 A-41772-0458 14 41772-0543 A-41772-0543 14																											
D A-41772-0374 15 26-60-3159 A-41772-0391 15 A-41772-0425 15 A-41772-0442 15 27-60-3152 A-41772-0459 15 41772-0544 A-41772-0544 15																											
D A-41772-0375 16 26-60-3169 A-41772-0392 16 A-41772-0426 16 A-41772-0443 16 27-60-3162 A-41772-0460 16 41772-0545 A-41772-0545 16																											
D A-41772-0376 17 26-60-3179 A-41772-0393 17 A-41772-0427 17 A-41772-0444 17 27-60-3172 A-41772-0461 17 41772-0546 A-41772-0546 17																											
D A-41772-0377 18 26-60-3189 A-41772-0394 18 A-41772-0428 18 A-41772-0445 18 A-41772-0462 18 41772-0547 A-41772-0547 18																											
A H SEE SHEET I D SEE SHEET I DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2° INCH METRIC 3 PLACE ± ± 2 PLACE ± ± 1 PLACE ± ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DRWG. BY SAMIEC CHK'D BY PATEL APP'D. BY LENZ SCALE 1:1 TITLE FLAT HEADER ASSY .156 SQ BENT PIN W/O PEG 41772 SERIES DWG MOLEX INCORPORATED SHEET NO. 5 DATE 4/25/90 LISLE, ILL. 60532 U.S.A. PART NO. SEE CHART DRWG. NO. SDA-41772 FILE NAME 541772X5 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIV. C SIZE C																											
I3		I2		I1		I0		9		8		7		6		5		4		3		2		1			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

27-60-3071