




LOC		DIST		REVISIONS					
FX		00		P	LYR	DESCRIPTION	DATE	OWN	APVD
					S10	REVISED PER ECO-09-009758	23APR2009	DLD	DCM
					S11	REVISED PER ECO-09-028550	29DEC2009	DLD	DCM




KEYING OPTION "A"
1438082-1



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2




- MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

- CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

SEE PINOUT CHARTS	
PART NUMBER	
Tyco Electronics Harrisburg, PA 17105-3608	
NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
SIZE A1	CAGE CODE 00779
DRAWING NO C=1438082	RESTRICTED TO -
CUSTOMER DRAWING	
SCALE 4:1	SHEET 1 OF 5

LOC	DIST	REVISIONS			
FX	00	P	LYR	DESCRIPTION	DATE
		-	-	SEE SHEET 1	-

	45	43			39	37	36	35			31					24					18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051		
			42																	20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050		
			42																	20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049		
			42																	20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048	
								35						27																										9-1438082-3	2LIT-14A464-SD-047	
	45	43					36	35			32	31				24		21		19	18	17	16		14	12						7	6					1	9-1438082-1	2LIT-14A464-SD-046		
46											31																													9-1438082-0	2LIT-14A464-SD-045	
											31					24							16									8					3	2		8-1438082-9	2LIT-14A464-SD-044	
														27																										8-1438082-8	2LIT-14A464-SD-043	
	45	44	43	42		40	38	37	36		33	31		29		24	22	20		18	17	16	15							9	8					3			8-1438082-7	2LIT-14A464-SD-042		
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20	19	18	17	16	15							9	8		6			2			8-1438082-6	2LIT-14A464-SD-041	
46											31																					9			6			3			8-1438082-5	2LIT-14A464-SD-040
			43	42			39	37											20	19	18							11	10	9								2	1	8-1438082-4	2LIT-14A464-SD-039	
			43								31		29								18																			8-1438082-3	2LIT-14A464-SD-038	
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8					2			8-1438082-0	2LIT-14A464-SD-037	
	45		43						36	35			31			24						16		14	12							7	6				2	1	7-1438082-9	2LIT-14A464-SD-036		
	45		43						36	35			31			24		21		19		16		14	12							7	6				2	1	7-1438082-8	2LIT-14A464-SD-035		
			43	42		39	38	37			32			28						19	18	17	16					10	9											7-1438082-5	2LIT-14A464-SD-034	
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8		6			2			7-1438082-4	2LIT-14A464-SD-033	
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15								9	8		6			2			7-1438082-3	2LIT-14A464-SD-032
					40									29																		9								6-1438082-6	2LIT-14A464-SD-031	
																																								6-1438082-3	2LIT-14A464-SD-030	
																																								6-1438082-2	2LIT-14A464-SD-029	
																																								6-1438082-1	2LIT-14A464-SD-028	
													29	28		25		21			18	16												6	5					5-1438082-6	2LIT-14A464-SD-027	
													29	28		25		21				16													6	5					5-1438082-5	2LIT-14A464-SD-026
												30	29					21			18	16														5					5-1438082-2	2LIT-14A464-SD-025
			43	42		39	37											20	19	18	17		15	14				11	10	9	8	7			4	3	2	1	5-1438082-0	2LIT-14A464-SD-024		
			42																				15	14					11	10	9	8	7			4	3			4-1438082-9	2LIT-14A464-SD-023	
			43	42		39	37											20	19	18	17							11	10	9								2	1	4-1438082-8	2LIT-14A464-SD-022	
			42																										11	10	9								1	4-1438082-7	2LIT-14A464-SD-021	
			43	42		39	37									23		20	19	18	17							11	10	9								2		4-1438082-2	2LIT-14A464-SD-020	
	45	43					36	35			31					24					18	17	16		14	12							7	6			2	1	4-1438082-0	2LIT-14A464-SD-019		
			43	42		39	37									23		20	19	18	17		15	14				11	10	9	8	7			4	3	2			3-1438082-8	2LIT-14A464-SD-018	
			42														23						15	14				11	10	9	8	7			4	3				3-1438082-7	2LIT-14A464-SD-017	
			43	42		39	37										23		20	19	18	17	16					11	10	9								2			3-1438082-6	2LIT-14A464-SD-016
			42														23											11	10	9											3-1438082-5	2LIT-14A464-SD-015
	45	43			39	37	36	35			31					24		21		19	18	17	16		14	13	12				9		7	6			2	1	3-1438082-4	2LIT-14A464-SD-014		
	45	43			39	37	36	35		33	31				25	24		21		19	18	17	16		14	13	12				9		7	6			2	1	3-1438082-3	2LIT-14A464-SD-013		
	45	43						36	35			31				24		21		19	18	17	16		14	12							7	6			2	1	3-1438082-2	2LIT-14A464-SD-012		
			42																				15	14	13				10	9	8	7			4	3				3-1438082-1	2LIT-14A464-SD-011	
			43	42		39	37												20	19	18	17			13				10	9								2		3-1438082-0	2LIT-14A464-SD-010	
			42																						13				10	9										2-1438082-9	2LIT-14A464-SD-009	
			43	42		39	37											</																								

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
	44								35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
									35																											6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39		37				29					20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																	
45		43						38		36			31			25	24				18	17	16		14	12				7	6		2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43						38		36			31			25	24						16		14	12				7	6		2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43						38		36		32	31			25	24		21	19	18	17	16		14	12				7	6		1	4-1438735-8	2LIT-14A464-SD-080																	
45		43					39	38	37	36			31			25	24				18	17	16		14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079																
				42															20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077																
45		43					39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076																
45		43						38		36			31			25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39		37				29						20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074															
45		43					39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073																
45		43						38		36			31			25	24		21	20	19	18	17	16		14	12			7			2	1	3-1438735-1	2LIT-14A464-SD-072																
45		43					39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45		43						38		36			31			25	24		21	20	19			16		14	12			7			2	1	2-1438735-9	2LIT-14A464-SD-070																
45		43					39	38	37	36			31			25	24		21	20	19			16		14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069															
45		43						38		36			31			25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																
											33															13						6	5			2-1438735-5	2LIT-14A464-SD-067															
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8				2	2-1438735-4	2LIT-14A464-SD-066																
			43										31		29						18								8					2	2-1438735-1	2LIT-14A464-SD-065																
45		43						38		36	35		31			25	24		21					16		14	12				7	6		2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43					39	38	37	36	35		31			25	24				18	17	16		14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063															
45		43						38		36	35		32	31			25	24		21	19	18	17	16		14	12				7	6			1	1-1438735-8	2LIT-14A464-SD-062															
45		43						38		36	35		31			25	24							16		14	12				7	6		2	1	1-1438735-7	2LIT-14A464-SD-061															
45		43						38		36	35		31			25	24		21	19			16		14	12				7	6		2	1	1-1438735-6	2LIT-14A464-SD-060																
45		43						38		36	35		31			25	24				18	17	16		14	12				7	6		2	1	1-1438735-5	2LIT-14A464-SD-059																
45		43					39	38	37	36	35		31			25	24		21	19	18	17	16		14	13	12		9	7	6		2	1	1-1438735-4	2LIT-14A464-SD-058																
45		43						38		36	35		31			25	24		21	19	18	17	16		14	12				7	6		2	1	1-1438735-3	2LIT-14A464-SD-057																
				42					37										20	18			15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056														
45		43								36	35		31				24		21	19			16		14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055																
									35						27																		3			1-1438735-0	2LIT-14A464-SD-054															
			43									31		29							18								9	8				2		1438735-9	2LIT-14A464-SD-053															
									35						27															7						1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
APPLICATION SPEC		WEIGHT		A 00779 C=1438082 -	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5 REV 1	

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

MATERIAL -

-

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1438735-0](#)