





PART NO.	LENGTH
848491027	8M
848491017	5M

REV	DATE	ECN NO.	APPVD BY	REL BY
A	12-26-00	UM2001-D190 PROD. REL.		



P1		P2
1	DRAIN	1
2	RED	2
3	BLK	3
4	WHT	4
5	BLU	5

WIRING DIAGRAM

8	1	CPLG. RING, INT. THD.	BRASS/BLACK ANODIZED
7	1	CPLG. RING, EXT. THD.	BRASS/BLACK ANODIZED
6	2	MOLDED BODY	PVC/COLOR:BLUE
5	5	CONTACT, SOCKET	CU ALLOY/GOLD PLATED
4	1	INSERT, SOCKET, 5/C	PVC/COLOR:YELLOW
3	5	CONTACT, PIN	CU ALLOY/GOLD PLATED
2	1	INSERT, PIN, 5/C	PVC/COLOR:YELLOW
1	SEE CHART	CABLE, THICK (TRUNK)	PVC JACKET/COLOR:BLUE
ITEM	QTY	DESCRIPTION	MATERIAL/FINISH

QUALITY SYMBOLS

MAJOR

CRITICAL

SPC

UNLESS SPECIFIED:
ALL DIMENSIONS IN INCHES

GENERAL TOLERANCES:
3 PLACE ±.005
2 PLACE ±.01
ANGULAR ±2°

Mfr-Mate CAGE CODE
58967

SCALE --- DWG SIZE B

DRAWN BY & DATE
GF 12-26-00

CHECKED BY & DATE

APPROVED BY & DATE

THIRD ANGLE PROJECTION

REVISE ON CAD ONLY

TITLE:
MINI-C, PLUG, MALE/FEMALE,
THICK (TRUNK) DEVICE NET

MOLEX INCORPORATED
Orange, CA 92868

PART NO. SEE CHART

DRAWING NO. SD-84849-1027

SHEET NO. 1 OF 1

REV A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[84849-1017](#)