

Electronic housing - UM 25-PROFIL 100CM - 2915795

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Panel mounting base, length: 1000 mm, Lower part, color: green, width: 1000 mm, Note: required profile length = PCB length - 3 mm

Your advantages

- ^{III} UM ...-SES lateral element offers options for labeling with Phoenix Contact marking material
- Fast mounting
- ☑ Inexpensive as a result of reducing the number of separate housing parts
- Flexible size and shape
- If High degree of mechanical stability by screwing the lateral elements to the profile
- ☑ Cable fixing by means of UM ...-SEK lateral element (fixed using cable binders, not supplied as standard)
- ☑ The UMK-BF mounting flange enables modules to be mounted directly on the wall

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	4 046356 178686
GTIN	4046356178686

Technical data

General

Housing type	Panel mounting base
Housing material	PVC
Color (RAL)	green

Ambient conditions

Ambient temperature (operation)	-15 °C 50 °C

Dimensions

Length	1 m
Width	1000 mm
Depth	25 mm



Electronic housing - UM 25-PROFIL 100CM - 2915795

Technical data


Standards and Regulations

Flammability rating according to UL 94	V0
Environmental Product Compliance	
China RoHS	Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Drawings

Dimensional drawing



Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2915795