

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0350689902](#)
Status: **Active**
Overview: [Standard Quick-Disconnect Terminals](#)
Description: MP-Lock Quick Disconnect, Female, for 20x2, 20x18, 18x2 AWG (0.80-0.52mm²), Metal Strip, Tab 4.75 x 0.51mm, Pre-Tin Plated

Documents:

Drawing (PDF)	Product Specification PS-35817-001 (PDF)
Product Specification PS-35189-002-001 (PDF)	Packaging Specification PK-35068-001-001 (PDF)
Product Specification PS-35189-004 (PDF)	RoHS Certificate of Compliance (PDF)

Agency Certification

CSA	LR95446
UL	E92853

General

Product Family	Quick Disconnects
Series	35068
Crimp Quality Equipment	Yes
Insulated	No
Overview	Standard Quick-Disconnect Terminals
Product Name	MP-Lock
Type	Quick Disconnect
UPC	800754375146

Physical

Barrel Type	Open
Gender	Female
Glow-Wire Capable	No
Insulation	None
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.440/g
Orientation	Straight
Packaging Type	Reel
Plating min - Mating	0.813µm
Plating min - Termination	0.813µm
Polarized to Mating Part	Yes
Tab Thickness	0.51mm
Tab Width	4.75mm
Temperature Range - Operating	-40° to +105°C
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	5.50mm max.
Wire Size AWG	18, 20


Electrical

Voltage - Maximum	300V
-------------------	------

Material Info

Reference - Drawing Numbers

Packaging Specification	PK-35068-001-001
Product Specification	PS-35189-002-001, PS-35189-004, PS-35817-001
Sales Drawing	SD-35068-9902



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per -
ED/61/2018 (27 June
2018)

Halogen-Free

Status

Low-Halogen

**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any
non-product compliance questions.

China ROHS	Green Image
ELV	Not Relevant
Prop65	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series

[35068](#) Series

Use With

[35189](#) , [35817](#) , [35961](#)

Application Tooling | FAQ

*Tooling specifications and manuals are
found by selecting the products below.
Crimp Height Specifications are then
contained in the Application Tooling
Specification document.*

Global

Description	Product #
Mini-Mac Applicator Rear Feed	0638022000

This document was generated on 09/10/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

35068-9902