

TE CD

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738 1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738

1589738 1589738

1589738

1589738

1589738

1589738

1589738

Nanonics P/N JTL015PR2DX008

JTL025PR2DCM31N

JTI 037PB2DT024N

JTM009PR2DCC50N

JTM015PR2DC002N

JTM015PR2DC012M

JTM015PR2DT001N

JTM025PR0DXC20N

JTM025PR0DXC30N

JTM025PR2DT001N

JTM025PR2DT240N

JTM025PR2DX0.5N

JTM025PR2DX006Q

JTM025PR2DX012N

JTM025PR2DX020

JTM037PB0DC036M

JTM037PR2DT001N

JTM037PR2DX001N

JTM037PR2GX002

JTM037PB2GX003N

JTM051PR2DC002N

JTM051PR2DT001N

JTM051PR2DX002N

JTM051PR2GX002

JTM051PR2GX006Q

JTM065PR2DC001N

JTM065PR2DC003

JTM065PR2DC003N

JTM065PB2DX004N

JTM065PR2GX001N

JTL009PR2DC018N

JTM025PR2DT002M

JTM015PR2DT002M

JTM009PR2DT002M

JTM037PR2DT002M

JTM025PB2DX003N

JTM015PR2DX003N

JTM051PR2DC018N

JTI 065PB2DX002N

JTM037PR2DCC16Q

JTL037PR2DX001

JTM037PR2DX001

JTM037PR2DC005N

JTL015PR0DC011N

JTL025PR0DC007N

JTL051PB2DC012N

JTM037PR2DX001Q

JTM037PR2DX006Q

JTM065PR2DX004Q

JTM009PR2DC003Q

JTM015PR2DC003Q

JTM025PR2DC003Q

JTM037PB2DC003Q

JTM051PR2DC003Q

JTM051PR2DC006Q

JTM009PB2DX001N

JTM015PR2DX001N

JTM025PR2DX001N

JTM065PR2DX001N

JTM051PB0DC036N

JTL037PR2DC012N

JTL037PR2DC024N

JTM015PR2DC001Q

JTM025PR2DC001Q

JTM037PR2DC001Q

JTM051PR2DC001Q

JTM051PR2DC005

JTL051PR2DC048

TE P/N

9-1589672-6

1589673-4

1-1589673-1

1-1589673-8

3-1589673-7

7-1589673-8

7-1589673-9

8-1589673-0

3-1589674-6

3-1589674-7

3-1589674-8

3-1589674-9

4-1589674-0

4-1589674-1

4-1589674-2

4-1589674-3

1589675-3

1589675-4

1589675-5

1589675-6

1589675-7

6-1589675-9

7-1589675-0

7-1589675-1

7-1589675-2

7-1589675-3

7-1589675-4

1589676-5

1589676-6

1589676-7

1589676-8 1589676-9

5-1589699-8

1589738-1

1589738-2 1589738-3

1589738-4

1589738-5

1589738-6 1589738-7

1589738-8

1589738-9

1-1589738-0

1-1589738-1

1-1589738-2 1-1589738-3

1-1589738-4

1-1589738-5

1-1589738-6

1-1589738-7

1-1589738-8

1-1589738-9

2-1589738-0

2-1589738-1

2-1589738-2

2-1589738-3

2-1589738-4

2-1589738-5

2-1589738-6

2-1589738-7

2-1589738-8

2-1589738-9

3-1589738-0 3-1589738-1

3-1589738-2

3-1589738-3

3-1589738-4

3-1589738-5

Part Description	
Imper, 2 row, LCP, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 8 inches.	
umper, 2 row, LCP, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 31 meters, 1.0 captive jackscrews.	
umper, 2 row, LCP, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 24 inches, 1.0 captive jackscrews.	
Imper, 2 row, LCP, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 48 inches.	
mper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 50 centimeters, 1.0 captive jackscrews.	
mper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 2 inches, 1.0 captive jackscrews.	
imper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 non-captive jackscrews.	
mper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 28 AWG solid, white PTFE wire, 20 centimeters, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 28 AWG solid, white PTFE wire, 30 centimeters, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 240 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 0.5 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.2 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 12 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 20 inches.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 28AWG solid, color coded PTFE wire; 38 inches, 1.0 non-captive jackscrews.	
pper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 tow, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1 to captive jackscrews.	
nper, 2 tow, metal, 37 position, plug to receptace, 1 to 1, 30 AWG 7 stand, FEP ribon cable, 2 inches.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, FEP ribbon cable, 3 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 51 position, joug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 2 notices, 1.0 captive jackscrews.	
mper, 2 row, metal, 51 position, judg to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 5 inches.	
imper, 2 row, inertial, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 5 incress.	
mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while ETTE wize, 2 inches, 1.0 captive jackscrews.	
nper, 2 low, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, FEP ribbon cable, 2 inches, 1.0 captive jackscrews. mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, FEP ribbon cable, 2 inches, 1	
mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, FEP ribbon cable, 6 inches, 1.2 captive jackscrews.	
mper, 2 tow, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTE wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 row, metal, 65 position, julg to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches.	
imper, 2 row, metal, 65 position, judg to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.0 captive jackscrews.	
Imper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 4 inches, 1.0 captive jackscrews.	
Imper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, FEP ribbon cable, 1 inch, 1.0 captive jackscrews.	
Imper, 2 row, LCP, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.	
Imper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 inches, 1.0 non captive jackscrews.	
mper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 inches, 1.0 non captive jackscrews.	
mper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 inches, 1.0 non captive jackscrews.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 2 inches, 1.0 non captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 3 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 3 inches, 1.0 captive jackscrews.	
mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 18 inches, 1.0 captive jackscrews.	
mper, 2 row, LCP, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 2 inches, 1.0 captive jackscrews.	
mper, 2 row, LCP, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 16 centimeters, 1.2 captive jackscrews.	
nper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 5 inches, 1.0 captive jackscrews.	
nper, 2 row, LCP, 15 position, plug to receptacle, 1 to 1, 28 AWG solid, color coded PTFE wire, 11 inches, 1.0 captive jackscrews.	
nper, 2 row, LCP, 25 position, plug to receptacle, 1 to 1, 28 AWG solid, color coded PTFE wire, 7 inches, 1.0 captive jackscrews.	
mper, 2 row, LCP, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.	
sper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1.2 captive jackscrews.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 6 inches, 1.2 captive jackscrews.	
sper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 4 inches, 1.2 captive jackscrews.	
nper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.	
nper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.	
nper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.	
mper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.	
mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.	
mper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 6 inches, 1.2 captive jackscrews.	
nper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1.0 captive jackscrews.	
mper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1.0 captive jackscrews.	
pper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 1 inch, 1.0 captive jackscrews.	

Revision 3

Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 28 AWG solid, color coded PTFE wire, 36 inches, 1.0 captive jackscrews.

Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.2 captive jackscrews.

Jumper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.2 captive jackscrews.

Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.2 captive jackscrews.

Jumper, 2 row, LCP, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.0 captive jackscrews.

Jumper, 2 row, LCP, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 24 inches, 1.0 captive jackscrews. Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.2 captive jackscrews.



3-1589738-6	1589738	JTM065PR2DC001Q	Jumper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 1 inch, 1.2 captive jackscrews.
3-1589738-8	1589738	JTG065PR2DC001N	Jumper, 2 row, note 5 position, plug to receptable, 1 to 1, 30 AWG 7 strand, color coded PTE wire, 1 inch. 1.0 captive jackstrews.
3-1589738-9	1589738	JTM025PR2DM096N	Jumper, 2 row, good, do position, pug to receptace, it to 1, 30 AWG 7 stand, DTFE wire, mich, inc. aplive jackscrews.
4-1589738-0	1589738	JTM025PR2DM030N	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 onchrs, 10 captive jackscrews.
4-1589738-1	1589738	JTM025PR2DM012N	Jumper, 2 row, metal, s2 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 12 inches, 12 captive jackscrews.
4-1589738-2	1589738	JTM065PR2DM002Q	Jumper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 2 incites, 1.2 captive jackscrews.
4-1589738-3	1589738	JTM065PR2DC003Q	Jumper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded per wires 12-06 r, system 1 (to recurring solid colors), 5 inches, 1.2 captive jacksclews.
4-1589738-4	1589738	JTM005PR2DC003Q	Jumper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 10 inches, 1.2 capture jackschews.
4-1589738-5	1589738	JTM015PR2DX010Q	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 10 inclues, 1.2 captive jackscrews.
4-1589738-5	1589738	JTM025PR2DX010Q	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 10 inclues, 1.2 captive jackscrews.
4-1589738-6	1589738	JTM009PR2DX010Q	Jumper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 10 incles, 1.2 captive Jackscrews.
	1589738	JTM051PR2DX010Q	Jumper, 2 row, metal, 57 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 10 inclues, 1.2 captive jackscrews.
4-1589738-8		JTM05TPR2DX010Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, while PTFE wire, 1 roth 1, 2 captive jackscrews.
4-1589738-9	1589738		
5-1589738-0	1589738	JTL015PR2DC003Q	Jumper, 2 row, LOP, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.
5-1589738-1	1589738	JTL025PR2DC003Q	Jumper, 2 row, LOP, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.
5-1589738-2	1589738	JTL051PR2DC003Q	Jumper, 2 row, LOP, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.
5-1589738-3	1589738	JTL065PR2DC003Q	Jumper, 2 row, LCP, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inches, 1.2 captive jackscrews.
5-1589738-4	1589738	JTM015PR2DM024N	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system (10 recurring solid colors), 24 inches, 1.0 captive jackscrews.
5-1589738-5	1589738	JTM025PR2DM060N	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, PTFE wire, color coded per MIL-STD-681, system 1 (10 recurring solid colors), 60 inches, 1.0 captive jackscrews.
5-1589738-6	1589738	JTG065PR2DC003N	Jumper, 2 row, gold, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 3 inch, 1.0 captive jackscrews.
5-1589738-7	1589738	JTM015PR2DC012Q	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
5-1589738-8	1589738	JTM025PR2DC010Q	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 10 inches, 1.2 captive jackscrews.
5-1589738-9	1589738	JTM051PR2DC012Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 12 inches, 1.2 captive jackscrews.
6-1589738-0	1589738	JTM037PR0DC006M	Jumper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 28AWG solid, color coded PTFE wire, 6 inches, 1.0 non-captive jackscrews.
6-1589738-1	1589738	JTM065PR2DTM01N	Jumper, 2 row, metal, 65 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 1 meter, 1.0 captive jackscrews.
6-1589738-2	1589738	JTM051PR2DC025Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 25 inches, 1.2 captive jackscrews.
6-1589738-3	1589738	JTM051PR2DC050Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 50 inches, 1.2 captive jackscrews.
6-1589738-4	1589738	JTM015PR2DC002Q	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 2 inches, 1.2 captive jackscrews.
6-1589738-5	1589738	JTM037PR2DT030N	Jumper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white ETFE M22759/33 wire, 30 inches, 1.0 captive jackscrews.
6-1589738-6	1589738	JTM037PR2DXC50Q	Jumper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 50 centimeters, 1.2 captive jackscrews.
6-1589738-7	1589738	JTM051PR2DCC70Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 70 centimeters, 1.2 captive jackscrews.
6-1589738-8	1589738	JTM015PR2DCC20Q	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 20 centimeters, 1.2 captive jackscrews.
6-1589738-9	1589738	JTM025PR2DCC30Q	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 30 centimeters, 1.2 captive jackscrews
7-1589738-0	1589738	JTM015PR2DCC30Q	Jumper, 2 row, metal, 15 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 30 centimeters, 1.2 captive jackscrews
7-1589738-1	1589738	JTM051PR2DCC30Q	Jumper, 2 row, metal, 51 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, color coded PTFE wire, 30 centimeters, 1.2 captive jackscrews
7-1589738-2	1589738	JTM009PR2DXC25N	Jumper, 2 row, metal, 9 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 25 centimeters, 1.0 captive jackscrews.
7-1589738-3	1589738	JTM025PR2DXC25N	Jumper, 2 row, metal, 25 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 25 centimeters, 1.0 captive jackscrews.
7-1589738-4	1589738	JTM037PR2DXC25N	Jumper, 2 row, metal, 37 position, plug to receptacle, 1 to 1, 30 AWG 7 strand, white PTFE wire, 25 centimeters, 1.0 captive jackscrews.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: JTL037PR2DC012N