


LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44								35			32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086															
		44								35			32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085															
										35																												6-1438735-2	2LIT-14A464-SD-084														
			43	42		40	39		37					29							20	18			15	14			11	10	9	8	7		4	3	1	6-1438735-1	2LIT-14A464-SD-083														
45		43						38	36				31				25	24						18	17	16	14	12				7	6		2	1	5-1438735-0	2LIT-14A464-SD-082															
45		43						38	36				31				25	24							16	14	12				7	6		2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43						38	36			32	31				25	24		21	19	18	17	16	14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45		43					39	38	37	36			31				25	24					18	17	16	14	13	12			9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079															
				42																	20	18				13	11	10							2	1	3-1438735-8	2LIT-14A464-SD-078															
				42																	20	18				13	11	10								1	3-1438735-7	2LIT-14A464-SD-077															
45		43					39	38	37	36			31				25	24		21	20	19	18	17		14	13	12			9				2	1	3-1438735-6	2LIT-14A464-SD-076															
45		43						38	36				31				25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39		37					29							20	18			15	14			11	10	9	8	7		4	3	2	1	3-1438735-3	2LIT-14A464-SD-074													
45		43					39	38	37	36			31				25	24			20	19	18	17		14	13	12			9				2	1	3-1438735-2	2LIT-14A464-SD-073															
45		43						38	36				31				25	24		21	20	19	18	17	16	14	12				7			2	1	3-1438735-1	2LIT-14A464-SD-072																
45		43					39	38	37	36			31				25	24		21	20	19	18	17	16	14	13	12			9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45		43						38	36				31				25	24		21	20	19			16	14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070																
45		43					39	38	37	36			31				25	24		21	20	19			16	14	13	12			9	7			2	1	2-1438735-8	2LIT-14A464-SD-069															
45		43						38	36				31				25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																
											33																13											2-1438735-5	2LIT-14A464-SD-067														
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15					9	8				2	2-1438735-4	2LIT-14A464-SD-066																
		43											31		29							18									8				2	2-1438735-1	2LIT-14A464-SD-065																
45		43						38	36	35			31				25	24		21					16	14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43					39	38	37	36	35			31				25	24					18	17	16	14	13	12			9	7	6		2	1	1-1438735-9	2LIT-14A464-SD-063														
45		43						38	36	35			32	31				25	24		21	19	18	17	16	14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062															
45		43						38	36	35			31				25	24							16	14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061															
45		43						38	36	35			31				25	24		21	19			16	14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060																
45		43						38	36	35			31				25	24					18	17	16	14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059															
45		43					39	38	37	36	35			31				25	24		21	19	18	17	16	14	13	12			9	7	6		2	1	1-1438735-4	2LIT-14A464-SD-058															
45		43						38	36	35			31				25	24		21	19	18	17	16	14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057																
				42					37												20	18				15	14			11	10	9	8	7		4	3	2	1	1-1438735-2	2LIT-14A464-SD-056												
45		43								36	35			31				24		21	19			16	14	12					7	6				1	1-1438735-1	2LIT-14A464-SD-055															
										35							27																			3		1-1438735-0	2LIT-14A464-SD-054														
			43										31		29								18							9	8				2		1438735-9	2LIT-14A464-SD-053															
										35							27																7				1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER					
TERMINAL HOLE POSITION																																																					
PIN-OUT CHART KEYING OPTION "A" 																																																					

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE CUSTOMER'S ORGANIZATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR THE LATEST REVISION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH -

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

SIZE A

CAGE CODE 00779

DRAWING NO C=1438082

RESTRICTED TO -

SCALE 4:1

SHEET 3 OF 5

REV S 1

Tyco Electronics
Harrisburg, PA 17105-3608

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-1438082-9](#)