

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [35711-0710](#)
Status: **Active**
Description: 2.79mm Slip-On Receptacle Terminal, Quick Disconnect, 0.50mm Tab Thickness, Wire Range 16-20 AWG (1.31-0.52mm²), Post-Tin Plated

Documents:
[Drawing \(PDF\)](#)
[Product Specification PS-35544-001 \(PDF\)](#)
[Product Specification PS-35702-001 \(PDF\)](#)
[Product Specification PS-68428-001 \(PDF\)](#)
[Packaging Specification PK-35711-001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL E92853

General

Product Family Quick Disconnects
Series [35711](#)
Crimp Quality Equipment Yes
Product Name Slip-On
Type Quick Disconnect
UPC 800753968462

Physical

Barrel Type Open
Gender Female
Glow-Wire Compliant No
Insulation None
Lock to Mating Part None
Material - Metal Brass
Material - Plating Mating Tin
Material - Plating Termination Tin
Net Weight 0.226/g
Orientation Straight
Packaging Type Reel
Plating min - Mating 1.016µm
Plating min - Termination 1.016µm
Polarized to Mating Part No
Tab Thickness 0.51mm
Tab Width 2.79mm
Temperature Range - Operating -40°C to +120°C
Termination Interface: Style Crimp or Compression
Wire Insulation Diameter 2.80mm max.
Wire Size AWG 16, 18, 20
Wire Size mm² 0.50 - 1.30

Electrical

Voltage - Maximum Per Wire Specification

Material Info

Reference - Drawing Numbers

[Packaging Specification](#) PK-35711-001
[Product Specification](#) PS-35544-001, PS-35702-001, PS-68428-001
[Sales Drawing](#) SD-35711-07*0




image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Low-Halogen Status
Low-Halogen

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[35711Series](#)

Application Tooling | FAQ
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Mini-Mac™	0638018000
Applicator Rear Feed	
Hand Crimp Tool: for 2.79mm Slip-On Quick Disconnect Receptacle	0638238500

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

35711-0710