

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0350729902](#)
Status: **Active**
Overview: [Standard Quick-Disconnect Terminals](#)
Description: MP-Lock Quick Disconnect, Female, for 10-14 AWG (5.26-2.08mm²), Metal Strip, Tab 6.35 x 0.81mm, Pre-Tin Plated

Documents:

[Drawing \(PDF\)](#) [Packaging Specification PK-35072-001-001 \(PDF\)](#)
[Product Specification PS-35960-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR95446
UL E92853

General

Product Family Quick Disconnects
Series [35072](#)
Crimp Quality Equipment Yes
Insulated No
Overview [Standard Quick-Disconnect Terminals](#)
Product Name MP-Lock
Type Quick Disconnect
UPC 800753340558

Physical

Barrel Type Open
Gender Female
Glow-Wire Capable No
Insulation None
Lock to Mating Part Yes
Material - Metal Brass
Material - Plating Mating Tin
Material - Plating Termination Tin
Net Weight 0.946/g
Orientation Straight
Packaging Type Reel
Plating min - Mating 0.813µm
Plating min - Termination 0.813µm
Polarized to Mating Part Yes
Tab Thickness 0.81mm
Tab Width 6.35mm
Temperature Range - Operating -40° to +105°C
Termination Interface: Style Crimp or Compression
Wire Insulation Diameter 3.00-5.10mm
Wire Size AWG 10, 12, 14


Electrical

Voltage - Maximum 300V

Material Info

Reference - Drawing Numbers

Packaging Specification PK-35072-001-001
Product Specification PS-35960-001
Sales Drawing SD-35072-9702



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
ED/71/2019 (16 July
2019)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[35072](#) Series

Use With

[35196](#) , [35959](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Mini-Mac Applicator Rear Feed	638025200
Extraction Tool for Quick Disconnect	638135500
Hand Tool for .250" Crimp Terminals	638196500

This document was generated on 09/19/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[35072-9902](#)