


Technical drawing of a shaft with the following dimensions and tolerances:

- Top diameter: $32 \times \varnothing 1.2 \pm 0.1$
- Feature control frame: $\oplus \varnothing 0.2 \text{ (M)} \text{ P (M) P-R}$
- Step dimension: 5.6
- Bottom diameter: $\varnothing 3.5 \pm 0.1$
- Feature control frame: 0.7





POS 極数	FEMALE HSG メスハウジング PART NO
32	1318747
	1717118

1. 嵌合相手ハウジング型番: TABLE-1 参照
2. ID MARK、CONTAINER NUMBER を表示
3. 推奨取付ねじ: JIS B1115、B1122タッピンねじ、
長さ2種、呼び径3、 反さ: TABLE-2参照
4. ねじ締めトルク (参考): 0.392N・m REF.
5. 本品の取扱いについては、取扱説明書 No. : 411-5928に従うこと
6.  -Z- より6mmの位置で測定。
7.  コンタクト仕上機能用マーク; 表参照
8.  -Z- より2mmの位置で測定。
9.  コンタクト仕上機能用マーク及びIDマークの刻印は無し
10.  回路番号はFIG. 1 参照

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. NO. 10MAR00 DESIGNED BY N. YASUDA CHK. N. SAI APVD. N. SAI 10MAR00		 TE Connectivity	
DIMENSIONS: 単位:mm 公差: mm 		TO: FRANCES UNLESS OTHERWISE SPECIFIED: 顧客名: ± 0.3 P-1: PL-1 P-2: PL-10-01 P-3: PL-20-01 P-4: PL-10-00-01 ANGLES: ° ± 0.01 FINISH: 12		NAME: 025 SERIES 32POSITION (PCB H-TYPE) CAP HOUSING ASSEMBLY 品名:	
MATERIAL: CONTACT-BRASS HOUSING-SS: TABLE 材料:		WEIGHT: 114-5250 重量:		SIZE: 100779 寸法:	
SEE TABLE		SEE TABLE		DRAWING NO: 1318745 図番:	
Customer Drawing		SCALE: 4:1 縮尺:		SHEET: 1 OF 2 枚数:	
				REV: B5 改訂:	

LOC J	DIST	REVISIONS 変更					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



CAP ASSEMBLY & PLUG ASSEMBLY ENGAGEMENT DRAWING
キャップアッセンブリ & プラグアッセンブリ 嵌合図

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

MATERIAL
材料
SEE SHEET 1 OF 2

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差 = ± 0.3

0-PLC ±

1-PLC ±0.1

2-PLC ±0.01

3-PLC ±0.001

4-PLC ±0.000J

ANGLES ±3'00"

FINISH
仕上
SEE SHEET 1 OF 2

DWN
N.YASUDA
10MAR00

CHK
N.SAI
10MAR00

APVD
N.SAI
10MAR00

PRODUCT SPEC
製品規格
SEE SHEET 1 OF 2

APPLICATION SPEC
取付適用規格
SEE SHEET 1 OF 2

WEIGHT
SEE SHEET 1 OF 2

CUSTOMER DRAWING

TE Connectivity

NAME
名称
025 SERIES 32 POSITION (PCB H-TYPE)
CAP HOUSING ASSEMBLY

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
C-1318745

RESTRICTED TO

SCALE
尺度
2:1

SHEET
2 OF 2

REV
B5

1470-19 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1318745-6](#)