





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
E7		REVISED PER ECO-16-007761	20MAY2016	DLD	WEM
E8		REVISED PER ECO-17-006621	09MAY2017	DLD	WEM

9	BLACK	C3	K99	9-1438521-8
	BLACK	C143	K1	2-1438521-8
	BLACK	C142	K1	2-1438521-7
10	BLACK	C141	K1	2-1438521-6
	BLACK	C140	K1	2-1438521-5
	BLACK	C139	K1	2-1438521-4
11	BLACK	C138	K1	2-1438521-2
	BLACK	C137	K1	2-1438521-1
	BLACK	C136	K1	2-1438521-0
12	BLACK	C132	K1	1-1438521-7
	BLACK	C131	K1	1-1438521-6
	BLACK	C129	K1	1-1438521-5
	BLACK	C128	K1	1-1438521-4
	BLACK	C127	K1	1-1438521-3
13	BLACK	C122	K1	1-1438521-2
	BLACK	C115	K1	1-1438521-1
	BLACK	C109	K1	1-1438521-0
	BLACK	C108	K1	1438521-9
	BLACK	C107	K1	1438521-8
14	GRAY	C75	K1	1438521-7
	BLACK	C74	K1	1438521-6
	BLACK	C73	K1	1438521-5
	BLACK	C62	K1	1438521-4
	BLACK	C61	K1	1438521-3
15	BLACK	C49	K1	1438521-2
	BLACK	C3	K1	1438521-1
	SLIDE COLOR	CIRCUIT ARRANGEMENT (SEE TABLE ON SHEET 2)	KEYING ARRANGEMENT (SEE TABLE ON SHEET 2)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DL DRUMMOND 11FEB2005	TE Connectivity	
DIMENSIONS:		CHK AJ VALASEK 11FEB2005	NAME	
mm		APVD AJ VALASEK 11FEB2005	ASSEMBLY, FEMALE, 60 WAY GET, TCM, CONNECTOR	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	RESTRICTED TO	
0 PLC ±0.5		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
1 PLC ±0.20		114-13060	A100779C=1438521	
2 PLC ±0.20		WEIGHT	SCALE 1:1	
3 PLC ±0.20		CUSTOMER DRAWING	SHEET 1 OF 3	
4 PLC ±0.20			REV E8	
ANGLES FINISH				
SEE CALLOUT				

SEE SHEET 2 FOR HEADER INTERFACE SPECIFICATION AND SHEET 3 FOR KEYING AND CIRCUIT ARRANGEMENTS



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1438521-3](#)