




NOTES:

- ROHS COMPLIANT
- HEADER: PHENOLIC WITH FLAMMABILITY RATING UL 94V-0 OR BETTER.
- 3. STORAGE TEMPERATURE: -20°C TO +125°C
- 4. COMPLIANCE TO J-STD:
 - A. J-STD-002: SOLDERABILITY AT 245°C REFLOW PROFILE
 - B. J-STD-020: LEVEL 1, NO MOISTURE SENSITIVE
 - C. J-STD-075: R7, 245°C MAXIMUM THROUGH REFLOW SOLDER
- 5. TO ORDER TAPE & REEL PACKAGING ADD A "T" SUFFIX TO THE PART NUMBER(i.e H5015FNL BECOMES H5015FNLT).








FINAL OUTLINE

@ Copyright, 2014. Pulse Electronics Corp. All rights reserved. Pulse confidential & proprietary. (06/30/14)

PRODUCT DESCRIPTION	TLA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
MDL,SIN,1GD,1:1,SM,TU	H5015FNL-10	PS-2754.001-A	1 OF 3	H5015FNL	A







ELECTRICAL CHARACTERISTICS AT +25°C UNLESS OTHER SPECIFIED MEETS IEEE 802.3 SPECIFICATION

PARAMETER	SPECIFICATIONS					
OPERATING TEMP	0°C - 70 °C					
TURNS RATIO	1.00 ± 2%					
POLARITY	PER SCHEMATIC					
OCL, TRANSMIT CHANNEL	350 uH MIN. WITH 8 mA DC BIAS, -0 TO 70 °C					
INSERTION LOSS	100 KHz	1-100 MHz	125 MHz			
INSERTION LOSS	-1.2 dB MAX	-1.0 dB MAX	-3.0 dB MAX			
RETURN LOSS	1-40 MHz	40-100 MHz				
$(Z OUT = 100 OHM \pm 15\%)$	-16 dB MIN	-10+20*LOG ₁₀ (f/80) dB MIN				
CROSSTALK (TX-RX)	1 MHz	30-100 MHz				
CROSSIALK (IX-KX)	-50 dB MIN	-55+24*LOG ₁₀ (f/10) dB MIN				
DIFFERENTIAL TO COMMON	2 MHz	30-100 MHz				
MODE REJECTION	-50 dB MIN	-43+22*LOG ₁₀ (f/30) dB MIN				
INPUT — OUTPUT ISOLATION		1500 VRMS MII	N			


NOTE: f IS FREQUENCY IN MHz.


@ Copyright, 2014. Pulse Electronics Corp. All rights reserved. Pulse confidential & proprietary. (06/30/14)


PRODUCT DESCRIPTION	TLA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
MDL,SIN,1GD,1:1,SM,TU	H5015FNL-10	PS-2754.001-A	2 OF 3	H5015FNL	A














DIMENSIONS ARE IN INCHES [MILLIMETERS] WITH THE FOLLOWING TOLERANCES: [MILLIMETERS] ARE FOR REFERENCE ONLY. .XX= \pm .01 [\pm 0.25] .XXX= \pm .005 [\pm 0.13]

@ Copyright, 2014. Pulse Electronics Corp. All rights reserved. Pulse confidential & proprietary. (06/30/14)

PRODUCT DESCRIPTION	TLA DRAWING	PS DRAWING	SHEET	PART NO.	DATASHEET REV.
MDL,SIN,1GD,1:1,SM,TU	H5015FNL-10	PS-2754.001-A	3 OF 3	H5015FNL	A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

H5015FNLT H5015FNL