

## Mounting brackets - SWS - 0210421

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Support bracket, as end support for the 70 - 240 mm<sup>2</sup> terminal blocks, with two M6 screws and nuts, is screwed to the DIN rail at 2 positions.



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 000011
Weight per Piece (excluding packing)	94.9 g
Custom tariff number	85369010
Country of origin	Germany

### Technical data

#### Dimensions

Height	43.5 mm
Width	50 mm

#### General

Material	Steel
Color	chromated

### Classifications

#### eCl@ss

eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27141145

# Mounting brackets - SWS - 0210421

## Classifications

### eCl@ss

eCl@ss 5.1	27141145
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27149214

### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002498
ETIM 5.0	EC002848

### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

## Accessories

### Accessories

#### DIN rail

DIN rail perforated - NS 32 PERF 2000MM - 1201002



G-profile DIN rail, material: Steel, perforated, height 15 mm, width 32 mm, length 2 m

DIN rail, unperforated - NS 32 UNPERF 2000MM - 1201015




G-profile DIN rail, material: Steel, unperforated, height 15 mm, width 32 mm, length 2 m

## Drawings

## Mounting brackets - SWS - 0210421

Dimensional drawing



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[0210421](#)