MODULAR CONNECTORS

CL 222 TM

Six-conductor plug with straight cover

Material

Phosphor Bronze

Polycarbonate

Polycarbonate

Applicable Cable

0.9~ 1.0

Copper foil or AWG#26

Finish

Gold plated

Clear

Beige

Material · Finish

Part name

Plug case

Conductor diameter Insulator diameter

Terminal

Cover

Electrical Performance

Item	Condition	Specification
Current rating	Per pin	0.5A
Voltage rating	Per pin	125V AC
Insulation Resistance	100V DC	100 M Min.
Withstanding Voltage	1 minute	500V r.m.s AC



MODULAR CONNECTORS

CL 222 TM

Eight-conductor plug with straight cover



Eight-conductor thin straight plug with cover (For gang-jack)



MODULAR CONNECTORS

CL 222 TM

L-shaped 8-conductor plug with cover



T-shaped 8-conductor plug with cover



MODULAR CONNECTORS

CL 222 TM

PLUG WIRING TOOL

Jig	Cable Cramp Jig		Terminal Crimping Jig	
Plug	CL No.	Product No.	CL No.	Product No.
		TM11P66P cable crimping	901-0938-4	Applicator 105TM11P-66P
TM11P ^r 66P 902-0132-8	902-0132-8	Hand press HOS-7	901-0005-4	Model 105 crimping tool
	902-0077-1	TM11P88P cable crimping jig	901-0221-0	Applicator 105TM11P-88P
TM11P ^r 88P902-01	902-0132-8	Hand press HOS-7	901-0005-4	Model 105 crimping tool

PLUG ASSEMBLY DRAWING



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Hirose Electric:

 TM11P-8-CV(13)
 TM11P-8-CV(14)
 TM11P-8-CV(15)
 TM11P-8-CV(16)
 TM11P-8-CV(17)
 TM11P1-88P(33)

 TM11P1-88P(34)
 TM11P-88P-CCT(61)
 TM11P-88P-CCT(62)
 TM11P-66P/CCT
 TM11P-88P-CCT(01)
 TM11P-88PP

 KSFNC2130(50)
 TM11BP-88P(11)
 TM11P-66P(54)
 TM11P-66P(54)
 TM11P-88P