

4

3

2

1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC	DIST	REVISIONS							
C COPYRIGHT		ALL RIGHTS RESERVED.				P	LTR	DESCRIPTION			DATE		
						A1		ECR-14-002656			24FEB2014		
											GK HMR		

REPLACED BY OCEAN STYLE APPLICATOR PART

NUMBER 2150208-5

FOR REPLACEMENT PARTS FOR APPLICATOR 2034068
 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
 WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
 SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
 2034068

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		APVD RAGHAVENDRA			
0 PLC ±		PRODUCT SPEC			
1 PLC ±		APPLICATION SPEC			
2 PLC ±					
3 PLC ±					
4 PLC ±					
ANGLES ±		WEIGHT		SIZE A3	
MATERIAL		FINISH		CAGE CODE	
				DRAWING NO C- 2034068	
				SCALE	
				SHEET 1 OF 2	
				REV A1	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION			
20			
© COPYRIGHT 2008	BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.	PROGRAMMED	REVISIONS
PART NUMBER	REV	DESCRIPTION	LOC
2034068-1	A	S3A APPLICATOR	1901697-1
7-2034068-1	A	- I AND SPARE PARTS	1901068-1
7-2034068-7	A	SPARE PARTS KIT	A
66			66

APPLICATOR DATA

CRIMP	SIZE	TYPE
WIRE	2.29 [.090IN]	F
INSUL	3.30 [.130IN]	F

APPL INSTRUCTIONS

408-10136

TERMINAL DATA: TE TERMINAL

TE (PRONER) CRIMP SPEC

TERMINAL NAME: 6.35 SERIES CLIP WITH LOCKING TAB

WIRE STRIP LENGTH 5.00-5.80mm [.196-.228 IN] INSULATION DIAMETER RANGE 1.30-2.00mm [.051-.078 IN]

TERMINAL PRONER DWG 4269 C 001

APPL SPEC

TERMINALS APPLIED

1544503-1 1544503-2 1544503-3 -

WIRE SIZE	CRIMP HEIGHT mm [INCH]	REF SETTING*
1mm ²	1.57±05 [.062±.002]	B-1
0.75mm ²	1.55±05 [.061±.002]	B-0
0.6mm ²	1.50±05 [.059±.002]	B-5
0.5mm ²	1.45±05 [.057±.002]	C-4
0.35mm ²	1.40±05 [.055±.002]	C-8

1 RECOMMENDED SPARE PARTS.


2 GREASE BEARING SURFACES LIGHTLY.

3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.

4 APPLY P/N 1-23419-5 LOCTITE® TO THREADS.

5 APPLICATOR SPECIFIC DATA TO BE ENTERED INTO BLANK MEMORY CHIP AT ASSEMBLY.

6 CUT TO LENGTH AT ASSY.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2034068-1](#)