

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0527461271

Status:

Active

Overview:

FFC-FPC (SMT)

Description:

Easy-On FFC/FPC Connector, 0.50mm Pitch, Slider Series, Right-Angle, Bottom Contact, 2.00mm Height, 12 Circuits, Gold Plating



Documents:

3D Model

Drawing (PDF)

Product Specification PS-52746-015-001 (PDF)

Packaging Specification SPK-52746-002-001 (PDF)

RoHS Certificate of Compliance (PDF)

Product Literature (PDF)

Agency Certification		
CSA		LR19980
UL		E29179
General		
Product Family		FFC/FPC Connectors
Series		52746
Overview		FFC-FPC (SMT)
Product Literature Order No		987651-8061
Product Name		Easy-On
Series Name		Slider
UPC		822348157389
Physical		
Actuator Type		Slider
Circuits (Loaded)		12
Contact Position		Bottom
Durability (mating cycles max)		20
Flammability		94V-0
Mated Height		2.00mm
Material - Metal		Phosphor Bronze
Material - Plating Mating		Gold
Material - Plating Termination		Gold
Net Weight		159.196/mg
Number of Rows		1
Orientation		Right Angle
PCB Locator		No
PCB Mounting		Surface Mount
PCB Retention		Yes
Packaging Type		Embossed Tape on Reel
Pitch - Mating Interface		0.50mm
Polarized to PCB		Yes
Stackable		No
Temperature Range - Operating		-40° to +85°C
Wire/Cable Type		FFC/FPC
Electrical		
Current - Maximum per Contact		0.5A
Voltage - Maximum		50V

Material Info

Reference - Drawing Numbers

Packaging Specification

Product Specification

Sales Drawing

SPK-52746-002-001

PS-52746-015-001

SD-52746-024, SD-52746-025-001

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/61/2018 (27 June 2018)

Halogen-Free

Status

Not Low-Halogen

For more information, please visit [Contact US](#)

China RoHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

52746 Series

This document was generated on 10/30/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[52746-1271](#)