





LOC	DIST	REVISIONS						
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A6	REV PER ECR-11-019151	08SEP2011	AY	SZ	
			A7	REV PER ECR-13-012441	30AUG2013	CZ	SZ	
			A8	REV PER ECR-14-002489	25FEB2014	OL	SZ	
			A9	ADDED NEW DASH NUMBER 1-2	30MAR2014	CZ	SZ	



- ⚠️ HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-0; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- ⚠️ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
RETENTION CLIP: .000115 MIN TIN.
- ⚠️ "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- ⚠️ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⚠️ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
6. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- ⚠️ CUSTOMER SUPPLIES (2) #4-UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- ⚠️ MECHANICAL CONNECTOR KEEP OUT ZONE.
- ⚠️ DETAIL DIM SEE PART VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 25MAR06	 TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE 25MAR06		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. PERCHERKE 25MAR06	NAME VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL	
		PRODUCT SPEC		
		108-1973		
		APPLICATION SPEC		
MATERIAL 	FINISH 	114-13038	SIZE A100779C=6600393	
		WEIGHT -		
CUSTOMER DRAWING		SCALE 2:1		
		SHEET 1 OF 5		
		REV A9		

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

A9

TRAY	1.220	.575	.235	1.330	.275	1.700	.250	1.900	.475	1.300	YES	4P	1-6600393-2
/	1.520	.575	.235	1.630	.275	2.000	.350	2.200	.475	1.600	YES	4P	1-6600393-0
TRAY	1.220	9	.235	9	-	-	.250	9	-	-	NO	4P	6600393-9
TRAY	1.470	.575	.235	1.580	.275	1.950	.200	2.150	.475	1.550	YES	6HDP	6600393-8
TRAY	2.070	.625	.285	2.180	.325	2.550	.300	2.750	.525	2.150	YES	6ACP	6600393-7
TAPE&REEL	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-5
TRAY	1.720	.575	.235	1.830	.275	2.200	.250	2.400	.475	1.800	YES	6P	6600393-3
TRAY	.970	.575	.235	1.080	.275	1.450	.250	1.650	.475	1.050	YES	3P	6600393-2
TRAY	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-1
PKG INFO.	DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "U"	DIM "S"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
D.RINGLER

CHK
M.PERCHERKE

APVD
M.PERCHERKE

25MAR0625MAR0625MAR06

DIMENSIONS:
INCHES

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±"
±"
±"
±"
±"
±"
±"

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

±"
±"
±"
±.005
±"
±"

MATERIAL
-

CUSTOMER DRAWING

NAME
VERICAL HEADER ASSEMBLY, W/LATCH
RECEIVERS, PRESS FIT, TYPE P,
MULTI-BEAM XL

SIZE
A1

CAGE CODE
00779

DRAWING NO
6600393

RESTRICTED TO
-

SCALE
2:1

SHEET
2

OF
5

REV
A9






TE

TE Connectivity


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET I	-	-	-	

PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
6600393-8	D		VM	VM	VM	VM	VM	VM	
	C								
	B								
	A								
6HDP		HD							HD

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600393-9	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P							



PART NUMBER	ROWS		POWER				
			P 1	P 2	P 3	P 4	
I-6600393-2	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD

4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6600393-1](#)