

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0453391604](#)  
**Status:** **Active**  
**Overview:** HandyLink I/O Interconnect System  
**Description:** 0.80mm Pitch HandyLink Plug for Wire Termination, 16 Circuit (pins 7,10,11,14,15,16 voided)

**Documents:**

[3D Model](#) [Packaging Specification PK-45593-001 \(PDF\)](#)  
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Product Specification PS-44828-001-001 \(PDF\)](#)

**Agency Certification**

CSA LR19980  
 UL E29179

**General**


Product Family I/O Connectors  
 Series [45339](#)  
 Application Wire-to-Board  
 Comments Please reference Application Specification AS-44828-001 when designing, Please reference Application Specification AS-44828-001 when designing Plug  
 Component Type [handylink@molex.com](#)  
 More Detailed Tech Information [HandyLink I/O Interconnect System](#)  
 Overview HandyLink  
 Product Name N/A  
 Type 822348013593  
 UPC

**Physical**

Circuits (Loaded) 10  
 Circuits (maximum) 16  
 Circuits Detail Terminals 1, 2, 3, 4, 5, 6, 8, 9, 12, 13, loaded  
 Color - Resin Black  
 Flammability 94V-0  
 Lock to Mating Part Yes  
 Material - Metal High Performance Alloy (HPA), Stainless Steel  
 Material - Plating Mating Gold, Tin  
 Material - Plating Termination Tin  
 Material - Resin High Temperature Thermoplastic  
 Net Weight 5.921/g  
 Orientation Vertical  
 PCB Retention N/A  
 Packaging Type Tray  
 Panel Mount No  
 Pitch - Mating Interface 0.80mm  
 Plating min - Mating 0.102µm, 1.270µm  
 Plating min - Termination 1.270µm, 5.080µm  
 Polarized to Mating Part Yes  
 Surface Mount Compatible (SMC) No  
 Temperature Range - Operating -40° to +85°C  
 Termination Interface: Style Solder or Weld  
 Wire Size AWG 22

**Electrical**

Current - Maximum per Contact 1.5A  
 Shielded No



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per  
 -ED/88/2018 (15  
 January 2019)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[45339 Series](#)

**Mates With**

[44828](#)

Voltage - Maximum

30V

**Material Info**

**Reference - Drawing Numbers**

Packaging Specification

PK-45593-001

Product Specification

PS-44828-001-001

Sales Drawing

SD-45339-001, SD-45339-001-002

This document was generated on 02/26/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[45339-1604](#)