

## Printed-circuit board connector - ZEC 1,0/10-LPV-3,5 GY35AUC2CI1 - 1751707

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid  
(<http://phoenixcontact.com/download>)


PCB connector, nominal current: 8 A, number of positions: 10, pitch: 3.5 mm, color: light gray, contact surface: Gold, mounting: Direct plug-in method



The figure shows a 10-position version of the product

### Your advantages

- Gold-plated contacts ensure transfer quality remains stable over the long term
- Easy component connection
- Inexpensive direct plug-in connection with just one component



### Key Commercial Data

Packing unit	50 pc
GTIN	 4 046356 317573
GTIN	4046356317573

### Technical data

#### Dimensions

Pitch	3.5 mm
Dimension a	31.5 mm
Height	7 mm

#### General

Range of articles	ZEC 1,0/..-LPV
Rated voltage (III/3)	160 V
Connection in acc. with standard	EN-VDE
Nominal current $I_N$	8 A
Color	light gray
Number of positions	10

## Printed-circuit board connector - ZEC 1,0/10-LPV-3,5 GY35AUC2CI1 - 1751707

### Technical data

#### Standards and Regulations

Connection in acc. with standard	EN-VDE
----------------------------------	--------

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Approvals

#### Approvals

---

Approvals

EAC

---

Ex Approvals

---

#### Approval details

EAC		B.01742
-----	---	---------

---

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1751707](#)