


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0357252610
Status: Active
Overview: Standard Quick-Disconnect Terminals
Description: Flag Quick Disconnect, Female, for 14-18 AWG (2.00-0.80mm²) Wire, Metal Strip, Tab 6.35 x 0.81mm, Open Barrel Flag, Tin Plating



Documents:
[Drawing \(PDF\)](#) [Packaging Specification PK-35725-011-001 \(PDF\)](#)
[Product Specification PS-35718-1210-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification	
CSA	LR95446
UL	E92853
General	
Product Family	Quick Disconnects
Series	35725
Crimp Quality Equipment	Yes
Insulated	No
Overview	Standard Quick-Disconnect Terminals
Product Name	N/A
Type	Quick Disconnect
UPC	800753340947
Physical	
Barrel Type	Open
Gender	Female
Glow-Wire Capable	No
Insulation	None
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.893/g
Orientation	Flag
Packaging Type	Reel
Plating min - Mating	0.813µm
Plating min - Termination	0.813µm
Polarized to Mating Part	No
Tab Thickness	0.81mm
Tab Width	6.35mm
Temperature Range - Operating	Per Wire Specification
Wire Insulation Diameter	3.60mm max.
Wire Size AWG	14, 16, 18
Electrical	
Voltage - Maximum	Per Wire Specification
Material Info	
Reference - Drawing Numbers	
Packaging Specification	PK-35725-011-001
Product Specification	PS-35718-1210-001
Sales Drawing	SD-35725-26*0

EU ELV
Not Relevant

EU RoHS **China RoHS**
Compliant
REACH SVHC
Not Contained Per
-ED/01/2018 (15
January 2018)
Halogen-Free
Status
Low-Halogen
**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any
non-product compliance questions.

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series
35725 Series

Use With
6.35mm Tab

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[35725-2610](#)