

4805 (1/15)

 \oplus 1ATERIAL

| 2 | | | 1 | 1 | | | | |
|---|-----------|-----|---------------------------|-----------|-----|------|--|--|
| | REVISIONS | | | | | | | |
| | P L | .TR | DESCRIPTION | DATE | DWN | APVD | | |
| | A | 4 | REVISED PER ECO-17-014228 | 27SEP2017 | SY | SY | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| A HOUSING MATERIAL: GLASS-FILLED POLYMER. | | | | | | | | |

RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.

| | ALL POSITIONS | 5 | * | * | * | * | * | 128 | 5536155-5 | | |
|----------------------|--|---|------------------|--------------------|------|----------------|---|----------------------|----------------------------|--|--|
| POSITIONS LOADED F | | | X ROWS | X C B OWS LOADE | | | - NO. OF LOADED POSITIONS | ASSEMBLY PART NUMBER | | | |
| CONTROLLED DOCUMENT. | | | . POL | IGNON PDF | E | APR05 APR05 | | | ETE TE Connectivity | | |
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 3 PLC ± 0.13[.005] | APVD 18APR05 A. SHARPE PRODUCT SPEC APPLICATION SPEC | | | | | NAME ASSY, REC, ENHANCED, TYPE C, EUROCARD, 5ROW, SOLDER, 4.57/4.70 WITH BOARD-LOCKS | | | | |
| | 4 PLC \pm - ANGLES \pm - FINISH | WEI | (| 0.00 | 0000 |) | size A 1 | cage code | drawing no restricted to - | | |
| | <u> </u> | | CUSTOMER DRAWING | | | | | | SCALE 4:1 SHEET OF 1 REV A | | |

В

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 5536155-5