

A

A

B

B

C

C




Copyright: FCI.

D

D

LEAD-FREE P/N	IMPEDANCE	PLATING IN CONTACT AREA		DIM "A"	DIM "B"
		POS 1	POS 2		
71637-103LF	50 Ohm	1.3 μ m Au MIN	1.3 μ m Au MIN	3.0/+0.05/-0	4.07/+0/-0.04
71637-104LF	75 Ohm	1.3 μ m Au MIN	1.3 μ m Au MIN	3.35/+0.03/-0	4.3/+0.01/-0.03
71637-104ELF	75 Ohm	1.3 μ m Au MIN	1.3 μ m Au MIN	3.35/+0.03/-0	4.3/+0.01/-0.03
					Order quantity >10000



NOTES:

1. UNDERPLATING Ni.
2. DIM. ACC. DIN 41626

European Views

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	± 0.1
Eng	GOISNARD	2006/03/06			0.XX	± 0.1
Chr	LEGARE	2006/03/06	0XX	± 2	0.XXX	± 0.1
Appr	LEGARE	2006/03/06	Product family	BACKPANEL	ECN	F12-0030
					Spec ref	-
FCI			FEMALE COAX INSERT RA STB			
catalog no			no			
-			71637			
-			Rev. L			
-			CUSTOMER sheet 1 of 1			

NOTE:RoHS INFORMATIONS

- The "LF" product meets European union Directives and other country regulations as described in GS-22-008.
- The product is not intended to be exposed to a manufacturing solder process.
- Packaging spec: see GS-14-920.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

[71637-103LF](#) [71637-104LF](#) [71637-104ELF](#)