



1

1

1

1

1

1

- 1



1

1

1



1

1

12

11

10

9

8

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

ENG. NO.

PIN NO.

DIM. L

DIM. X

DIM. Z

DIM. Y

DIM. W

DIM. R

DIM. G

DIM. T

A-7832-NA197	42663-0662	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL
A-7832-NB197	42663-0742	.780 (19.81)	.305 (7.75)	.140 (3.56)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL
A-7832-NA241	42663-0666	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)
A-7832-NA228	42663-0664	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)

6373

M

ALTERNATE ENGRAVING LOCATION
(7-12 CKT PARTS ONLY). LOCATION
IS DEPENDENT ON TOOLING.

QUALITY SYMBOLS

= 0

= 0

= 0

= 0

= 0

= 0

= 0

= 0

= 0

= 0

SEE SHEET 1

EC NO: 111298

DRWN: MKIPPER

CHK'D: MKIPPER

REV APPR: FSMITH

2016/03/16

2017/04/11

2017/04/28

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES ±

3 PLACES ±

2 PLACES ±

1 PLACES ±

0 PLACES ±

ANGULAR TOL ± 1/2

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION UNITS

IN/MM

SCALE

NTS

DRWN BY

DATE

CHK'D BY

DATE

APPR BY

DATE

DRAWING SIZE

C

THIRD ANGLE PROJECTION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

molex®

FRICTION LOCK HEADER ASY
.100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS

PRODUCT CUSTOMER DRAWING

SERIES

7832

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

SDA-7832

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

2 OF 3

RELEASE STATUS

P1

RELEASE DATE

28.04.2017

22:16:24

12

11

10

9

8

7

6

5

4

3

2

1

FORMAT: Edge-Header-master-to-epsd-C

REVISION: B

DATE: 2016/11/19

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[22-05-8129](#)