




PROJECT NO.		REVISIONS			
REV.	DATE	DESCRIPTION	DATE	BY	APPV.
F5	20FEB2014	ECR-14-002584		RM	SR
F6	29MAR2016	TOLERANCES OPTIMIZED		DK	SR



- NOTES / Bemerkungen
- 1. IN THIS AREA NO BURRS PERMITTED
In diesem Bereich kein Grat zulässig
 - 2. NOT SPECIFIED RADII R0.5
Nicht bemaste Radien R0.5
 - 3. NOT SPECIFIED WALL THICKNESS 1.4±0.1
Nicht bemaste Wandstärken 1.4±0.1
 - 4. Warpage -0.2mm zul.
Verzug -0.2mm zul.
 - 5. MATED TE / DC INTERFACE 114-18063-023
Entspricht TE / DC Schnittstelle 114-18063-023
 - 6. MOUNTING AREA SILVER PLATED / SOLDER AREA TIN PLATED
Steckbereich ist versilbert / Lötbereich ist verzinkt
 - 7. ONLY THE GERMAN LANGUAGE VERSION SHALL BE BINDING
Massgebend ist der deutsche Text



COD.	TE ORDER NO.	REV.	PCS.	DESCRIPTION	MATERIAL	SURFACE COLOUR	POS.			
C	3-967618-2	A	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	SILVER PLATED versilbert	2			
			1	PIN HEADER, 18POS.	PBT GF20	BLUE/blau SIMILAR/aehtl. RAL 5012	1			
C	3-967618-1	A	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	TIN verzinkt	2			
			1	PIN HEADER, 18POS.	PBT GF20	BLUE/blau SIMILAR/aehtl. RAL 5012	1			
B	0-967618-4	B	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	SILVER PLATED versilbert	2			
			1	PIN HEADER, 18POS.	PBT GF20	Natur	1			
A	0-967618-3	B	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	SILVER PLATED versilbert	2			
			1	PIN HEADER, 18POS.	PBT GF20	BLACK/schwarz	1			
B	0-967618-2	F	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	TIN verzinkt	2			
			1	PIN HEADER, 18POS.	PBT GF20	Natur	1			
A	0-967618-1	F	18	0.63mm PIN	COPPER ALLOY Cu-Legierung	TIN verzinkt	2			
			1	PIN HEADER, 18POS.	PBT GF20	BLACK/schwarz RAL 9011	1			
				TE ORDER NO.	REV.	PCS.	DESCRIPTION	MATERIAL	SURFACE COLOUR	POS.

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: mm. TOLERANCES UNLESS OTHERWISE SPECIFIED: P: ±0.1, M: ±0.05, F: ±0.05, A: ±0.1, B: ±0.1, C: ±0.1, D: ±0.1, E: ±0.1, F: ±0.1, G: ±0.1, H: ±0.1, I: ±0.1, J: ±0.1, K: ±0.1, L: ±0.1, M: ±0.1, N: ±0.1, O: ±0.1, P: ±0.1, Q: ±0.1, R: ±0.1, S: ±0.1, T: ±0.1, U: ±0.1, V: ±0.1, W: ±0.1, X: ±0.1, Y: ±0.1, Z: ±0.1.

OWN: E. Dürr, 25.01.96
 CHK: J. Haas, 06.03.06

NAME: MQS PIN HEADER 18POS.
 MQS Stiftgehäuse, 18pos.

SIZE: A1, CAGE CODE: 00779, DRAWING NO: C=967618

CUSTOMER DRAWING / KUNDENZEICHNUNG SCALE: 2:1, SHEET: 1 OF 1, REV: F6

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[967618-2](#)