




CKT SIZE	DIM A	DIM B	DIM C
6	5.08	9.96	8.12
8	7.62	12.50	10.66
10	10.16	15.04	13.20
12	12.70	17.58	15.74
14	15.24	20.12	18.28
16	17.78	22.66	20.82
18	20.32	25.20	23.36
20	22.86	27.74	25.90
22	25.40	30.28	28.44
24	27.94	32.82	30.98
26	30.48	35.36	33.52
28	33.02	37.90	36.06
30	35.56	40.44	38.60
32	38.10	42.98	41.14
34	40.64	45.52	43.68
36	43.18	48.06	46.22
38	45.72	50.60	48.76
40	48.26	53.14	51.30
42	50.80	55.68	53.84
44	53.34	58.22	56.38
46	55.88	60.76	58.92
48	58.42	63.30	61.46
50	60.96	65.84	64.00



RECOMMENDED P.C. BOARD
HOLE LAYOUT



NOTES:

1- MATERIAL:

PIN: 0.647 REF SQ. BRASS WIRE.

HOUSING: GLASS FILLED POLYESTER (PCT) UL 94-V0

COLOUR: BLACK


PLATING: SEE SHEET 2

2- PIN RETENTION FORCE 20N IN BOTH DIRECTIONS.

3- MEASUREMENT POINT FOR MINIMUM PLATING THICKNESS.

4- RECOMMENDED PCB THICKNESS 1.6mm

5- PRODUCT SPECIFICATION: PS-99020-0001



ORIGINAL EC NO: E2008-0145 DRWN: DBYRNES CHKD: APPR: WALLACE	DESCRIPTION 2008/04/10 2008/04/11 2008/04/11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			mm	INCH	DRAWN BY DBYRNES	DATE 2007/07/26	TITLE C-GRID III DUAL ROW T/HOLE SHROUDED HEADER ROHS COMPATIBLE					
			4 PLACES ± --- ± ---	3 PLACES ± --- ± ---	CHECKED BY EOMAHONY	DATE 2007/07/27						
			2 PLACES ± 0.15 ± ---	1 PLACE ± 0.25 ± ---	APPROVED BY EOMAHONY	DATE 2007/07/27	MOLEX MOLEX INCORPORATED					
			ANGULAR ± .5 °		MATERIAL NO.	DOCUMENT NO.						SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHARTS		SD-91814-002		1 OF 2			
			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

NO OF CKTS	PART NUMBER		
	PLATING TYPE A	PLATING TYPE B	PLATING TYPE C
6	91814 -1106	91814 -1206	91814 -1306
8	▲ -1108	▲ -1208	▲ -1308
10	▲ -1110	▲ -1210	▲ -1310
12	▲ -1112	▲ -1212	▲ -1312
14	▲ -1114	▲ -1214	▲ -1314
16	▲ -1116	▲ -1216	▲ -1316
18	▲ -1118	▲ -1218	▲ -1318
20	▲ -1120	▲ -1220	▲ -1320
22	▲ -1122	▲ -1222	▲ -1322
24	▲ -1124	▲ -1224	▲ -1324
26	▲ -1126	▲ -1226	▲ -1326
28	▲ -1128	▲ -1228	▲ -1328
30	▲ -1130	▲ -1230	▲ -1330
32	▲ -1132	▲ -1232	▲ -1332
34	▲ -1134	▲ -1234	▲ -1334
36	▲ -1136	▲ -1236	▲ -1336
38	▲ -1138	▲ -1238	▲ -1338
40	▲ -1140	▲ -1240	▲ -1340
42	▲ -1142	▲ -1242	▲ -1342
44	▲ -1144	▲ -1244	▲ -1344
46	▼ -1146	▼ -1246	▼ -1346
48	▼ -1148	▼ -1248	▼ -1348
50	91814 -1150	91814 -1250	91814 -1350

NOTES:
1- FOR ASSY SEE SHEET 1.
2- FOR PLATING DETAILS SEE SDES-99000-0003

ORIGINAL EC NO: E2008-0145 DRAWN: DBYRNES CHKD: APPR: J WALLACE	2008/04/10 2008/04/11 2008/04/11	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
					mm	INCH	DRAWN BY DBYRNES	DATE 2007/07/26	TITLE C-GRID III DUAL ROW T/HOLE SHROUDED HEADER ROHS COMPATIBLE MOLEX MOLEX INCORPORATED			
				4 PLACES	± ---	± ---	CHECKED BY EOMAHONY	DATE 2007/07/27				
				3 PLACES	± ---	± ---	APPROVED BY EOMAHONY					DATE 2007/07/27
				2 PLACES	± 0.15	± ---						
				1 PLACE	± 0.25	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-91814-002		2 OF 2	
							SIZE A2	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

91814-1310