



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	REVISED PER ECO-16-005106	28APR2016	NK	MZ
	J	REVISED PER ECO-17-013721	15NOV2017	RS	MZ
	K	REVISED PER ECO-18-002097	14FEB2018	RS	MZ

[.45]	[.050]	A	15	9.01	[.355]	117-2	12	0.15	[.006]	01210	5-192013-0	OBSOLETE
[.52]	[.046]	A	15	8.97	[.353]	13UNPL	12	0.08	[.003]	01126	4-192013-9	△4
[.42]	[.050]	A	15	7.92	[.312]	10UNPL	13	0.15	[.006]	01116	4-192013-8	OBSOLETE
[.42]	[.052]	A	15	7.92	[.312]	107-2	12	0.20	[.008]	01118	4-192013-7	OBSOLETE
[.42]	[.050]	A	15	7.92	[.312]	106-2	12	0.15	[.006]	01217	4-192013-6	OBSOLETE
[.42]	[.050]	A	15	7.92	[.312]	107-2	12	0.15	[.006]	01117	4-192013-5	△4
[.42]	[.050]	A	15	7.92	[.312]	10UNPL	12	0.15	[.006]	01266	4-192013-4	OBSOLETE
[.42]	[.050]	A	15	7.92	[.312]	107-2	12	0.10	[.004]	01281	4-192013-3	OBSOLETE
		C	15	--	--	877-2	12	0.15	[.006]	01030	4-192013-2	OBSOLETE
1.48	[.052]	A	45	31.8	[1.250]	397-2	12	0.20	[.008]	01219	4-192013-1	OBSOLETE
1.48	[.052]	A	45	31.8	[1.250]	39UNPL	12	0.20	[.008]	01218	4-192103-0	△4
1.48	[.050]	A	45	31.8	[1.250]	397-2	12	0.15	[.006]	01209	3-192013-9	OBSOLETE
1.45	[.050]	A	45	30.1	[1.187]	387-2	12	0.15	[.006]	01193	3-192013-8	△4
1.21	[.050]	A	45	26.2	[1.032]	337-2	12	0.15	[.006]	01214	3-192013-7	OBSOLETE
1.15	[.050]	A	45	25.0	[.984]	317-2	12	0.15	[.006]	01319	3-192013-6	OBSOLETE
1.02	[.050]	A	45	21.6	[.850]	277-2	12	0.15	[.006]	01208	3-192013-5	OBSOLETE
1.05	[.050]	A	45	21.4	[.842]	287-2	12	0.15	[.006]	01165	3-192013-4	OBSOLETE
[.92]	[.052]	A	45	19.1	[.750]	247-2	12	0.20	[.008]	01300	3-192013-3	△4
--	[.050]	C	45			555-2	12	0.15	[.006]	01041	3-192013-2	△4
--	[.050]	C	45			55UNPL	12	0.15	[.006]	01044	3-192013-1	OBSOLETE
											3-192013-0	OBSOLETE
--	[.050]	C	15			487-2	12	0.15	[.006]	01043	2-192013-9	OBSOLETE
--	[.050]	C	15			417-2	12	0.15	[.006]	01027	2-192013-8	OBSOLETE
--	[.050]	C	15			417-2	12	0.10	[.004]	01028	2-192013-7	OBSOLETE
	[.050]	C	15			407-2	12	0.15	[.006]	01243	2-192013-6	OBSOLETE
	[.050]	C	15			407-2	12	0.10	[.004]	01047	2-192013-5	△4
	[.050]	C	45			357-2	12	0.15	[.006]	01033	2-192013-4	OBSOLETE
	[.050]	C	15			357-2	12	0.15	[.006]	01032	2-192013-3	OBSOLETE
	[.050]	C	15			357-2	12	0.10	[.004]	01299	2-192013-2	OBSOLETE
											2-192013-1	OBSOLETE
											2-192013-0	OBSOLETE
	[.050]	C	15			337-2	12	0.15	[.006]	01026	1-192013-9	OBSOLETE
	[.050]	C	15			337-2	12	0.10	[.004]	01025	1-192013-8	△4
											1-192013-7	OBSOLETE
		C	15	--	--	207-2	12	0.15	[.006]	01035	1-192013-6	OBSOLETE
	[.050]	C	15	--	--	194	12	0.15	[.006]	01051	1-192013-5	OBSOLETE
		C	15	--	--	197-2	12	0.15	[.006]	01031	1-192013-4	OBSOLETE
	[.050]	C	15			177-2	12	0.15	[.006]	01059	1-192013-3	OBSOLETE
	[.050]	C	15			147-2	12	0.15	[.006]	01053	1-192013-2	△4
	[.050]	C	15			134	12	0.15	[.006]	01065	1-192013-1	OBSOLETE
	[.050]	C	15			137-2	12	0.15	[.006]	01077	△41-192013-0	OBSOLETE
	[.050]	C	15			127-2	12	0.15	[.006]	01055	△41-192013-9	OBSOLETE
OBSOLETE											1-192013-8	OBSOLETE
	[.050]	C	15			121-3	12	0.10	[.004]	01069	△41-192013-7	OBSOLETE
	[.050]	C	15			117-2	12	0.15	[.006]	01057	△41-192013-6	OBSOLETE
	[.050]	C	15			104	12	0.15	[.006]	01056	△41-192013-5	OBSOLETE
	[.050]	C	15			107-2	12	0.15	[.006]		△41-192013-4	OBSOLETE
	[.050]	C	15			101-2	12	0.10	[.004]	01046	△41-192013-3	OBSOLETE
	[.050]	C	15			97-2	12	0.15	[.006]	01081	△41-192013-2	OBSOLETE
	[.050]	C	15			57-2	12	0.15	[.006]	01045	△41-192013-1	OBSOLETE
(FREE DIA)	LH	STYLE	T°	MATING PIN	Ø REF	NUM LOUV	PLATING	MAT'L NOTE	MAT'L THK	REF	PART NUMBER	



- 1 FINISH-GOLD PLATE 2.03-2.54µm [80-100µ"] THICK
- 2 FINISH-NICKEL PLATE 1.02-2.03µm [40-80µ"] THICK
- 3 FINISH-NICKEL PLATE 1.27-1.91µm [50-75µ"] THICK
- 4 FINISH-TIN PLATE 7.62-15.24µm [300-700µ"] THICK
- 5 FINISH-SILVER PLATE 18.78µm [700-1000µ"] THICK
- 6 FINISH-GOLD PLATE 0.25-0.51µm [10-20µ"] THICK
- 7 FINISH-SILVER PLATE 5.08-10.16µm [200-400µ"] THICK
- 8
- 9
- 10
- 11 PLATING NOTES ARE TO BE INTERPRETED AS FOLLOWS:
5-7 AS 5 OVER 7.
- 12 MATERIAL-CDA172 BeCu.
- 13 MATERIAL-STAINLESS STEEL.
- △4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RA JAYNE 07-01-91	TE Connectivity		
		CHK G.STEINHAUER 07-01-91			
DIMENSIONS: mm [INCHES]		APVD G.STEINHAUER 07-01-91	NAME CONTACT BAND,FEMALE		
		PRODUCT SPEC			
		APPLICATION SPEC			
MATERIAL SEE TABLE		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=192013
		CUSTOMER DRAWING	SCALE NTS	SHEET 1 of 2	REV K

THIS DRAWING IS UNPUBLISHED.										RELEASED FOR PUBLICATION										REVISIONS									
© COPYRIGHT - By -										ALL RIGHTS RESERVED.										P LTR DESCRIPTION DATE DWN APVD									
																				- - SEE SHEET 1 - - -									

[.89]	[.052]	A	15	19.1[.750]	23	UNPL	12	0.20[.008]	01248	9	192013	9	OBSOLETE
[.92]	[.050]	A	15	19.1[.750]	24	UNPL	13	0.15[.006]	01203	9	192013	8	
[.92]	[.050]	A	15	19.1[.750]	24	6-2	12	0.15[.006]	01234	9	192013	7	
[.92]	[.050]	A	15	19.1[.750]	24	7-2	12	0.15[.006]	01154	9	192013	6	
[.92]	[.050]	A	15	19.1[.750]	24	UNPL	12	0.15[.006]	01152	9	192013	5	
									--	9	192013	4	OBSOLETE
[.89]	[.050]	A	15	19.1[.750]	23	7-2	12	0.15[.006]	01255	9	192013	3	
[1.75]	[.050]	A	15	19.1[.750]	23	7-2	12	0.10[.004]	01279	9	192013	2	
[.92]	[.046]	A	15	19.1[.750]	24	7-2	12	0.08[.003]	01151	9	192013	1	
[.92]	[.046]	A	15	19.1[.750]	24	UNPL	12	0.08[.003]	01297	9	192013	0	
[.85]	[.050]	A	15	17.4[.685]	22	7-2	12	0.15[.006]	01223	8	192013	9	OBSOLETE
[.80]	[.052]	A	15	15.88[.625]	20	7-2	12	0.20[.008]	01245	8	192013	8	
[.80]	[.052]	A	15	15.88[.625]	20	UNPL	12	0.20[.008]	01289	8	192013	7	
[.76]	[.052]	A	15	15.88[.625]	19	7-2	12	0.20[.008]	01259	8	192013	6	
[.76]	[.052]	A	15	15.88[.625]	19	UNPL	12	0.20[.008]	01258	8	192013	5	
[.83]	[.050]	A	15	15.88[.625]	21	7-2	12	0.15[.006]	01207	8	192013	4	OBSOLETE
[.80]	[.050]	A	15	15.88[.625]	20	6-2	12	0.15[.006]	01317	8	192013	3	
[.80]	[.050]	A	15	15.88[.625]	20	7-2	12	0.15[.006]	01148	8	192013	2	
[.76]	[.050]	A	15	15.88[.625]	19	7-2	12	0.15[.006]	01311	8	192013	1	
[1.50]	[.050]	A	15	15.88[.625]	20	7-2	12	0.10[.004]	01273	8	192013	0	
[.80]	[.050]	A	15	15.57[.613]	20	7-2	12	0.15[.006]	01202	7	192013	9	OBSOLETE
[.73]	[.052]	A	15	14.27[.562]	18	7-2	12	0.20[.008]	01143	7	192013	8	
[.45]	[.050]	A	15	9.01[.355]	11	UNPL	12	0.15[.006]		7	192013	7	
[.73]	[.050]	A	15	14.0[.551]	18	7-2	12	0.15[.006]	01264	7	192013	6	
[.70]	[.050]	A	15	14.0[.551]	17	7-2	12	0.15[.006]	01141	7	192013	5	
[.69]	[.052]	A	15	12.7[.500]	16	7-2	12	0.20[.008]	01137	7	192013	4	OBSOLETE
[.69]	[.052]	A	15	12.7[.500]	16	UNPL	12	0.20[.008]	01247	7	192013	3	
[.69]	[.050]	A	15	12.7[.500]	16	UNPL	13	0.15[.006]	01244	7	192013	2	
[.69]	[.050]	A	15	12.7[.500]	16	7-2	12	0.15[.006]	01206	7	192013	1	
[.69]	[.046]	A	15	12.7[.500]	16	7-2	12	0.08[.003]	01275	7	192013	0	
[.64]	[.052]	A	15	11.99[.472]	15	7-2	12	0.20[.008]	01304	6	192013	9	OBSOLETE
[.55]	[.050]	A	15	11.99[.472]	14	UNPL	13	0.15[.006]	01073	6	192013	8	
[.64]	[.050]	A	15	11.99[.472]	15	7-2	12	0.15[.006]	01135	6	192013	7	
[.64]	[.050]	A	15	11.99[.472]	15	UNPL	12	0.15[.006]	01134	6	192013	6	
[1.25]	[.050]	A	15	11.99[.472]	15	7-2	12	0.10[.004]	01286	6	192013	5	
[.80]	[.050]	A	15	15.88[.625]	20	UNPL	--	0.15[.006]		6	192013	4	OBSOLETE
[.67]	[.046]	A	15	12.7[.500]	16	UNPL	--	0.08[.003]		6	192013	3	
[.53]	[.050]	A	15	10.0[.394]	13	UNPL	--	0.15[.006]		6	192013	2	
[.55]	[.052]	A	15	11.1[.437]	14	7-2	12	0.20[.008]	01131	6	192013	1	
[.55]	[.050]	A	15	11.1[.437]	14	UNPL	13	0.15[.006]	01246	6	192013	0	
[.55]	[.050]	A	15	11.1[.437]	14	7-2	12	0.15[.006]	01211	5	192013	9	OBSOLETE
[.55]	[.050]	A	15	11.02[.434]	14	6-2	12	0.15[.006]	01128	5	192013	8	
[.55]	[.050]	A	15	11.02[.434]	14	UNPL	12	0.15[.006]	01216	5	192013	7	
[.52]	[.050]	A	15	10.0[.394]	13	6-2	12	0.15[.006]	01272	5	192013	6	
[.52]	[.050]	A	15	10.0[.394]	13	7-2	12	0.15[.006]	01205	5	192013	5	
[.50]	[.050]	A	15	9.53[.375]	12	7-2	12	0.15[.006]	01124	5	192013	4	OBSOLETE
[.48]	[.050]	A		9.53[.375]	12	7-2	12	0.10[.004]	01268	5	192013	3	
[.48]	[.052]	A	15	9.07[.357]	12	7-2	12	0.20[.008]	01122	5	192013	2	
[.45]	[.050]	A	15	9.01[.355]	11	6-2	12	0.15[.006]	01121	5	192013	1	
(FREE DIA)	LH	STYLE	T \$	MATING PIN	t REF	NUM LOUV	PLATING	MAT'L NOTE	MAT'L THK	REF	PART NUMBER		

LENGTH

17.5±0.5
[.69±.02]

STYLE C
(STRIP)

17.5±0.5
[.69±.02]


STYLE A
(FEMALE)

LH
(LOUVER HEIGHT)

(FREE DIA)

192013

B



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RA JAYNE 07-01-91	TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK G.STEINHAUER 07-01-91				
		NAME				
		CONTACT BAND,FEMALE				
		PRODUCT SPEC				
		APPLICATION SPEC				
MATERIAL SEE TABLE		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=192013	RESTRICTED TO -
CUSTOMER DRAWING				SCALE NTS	SHEET 2 of 2	REV K

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-192013-8](#)