






KEYING OPTIONS
SCALE 2:1


OPTION "H"



OPTION "K"



OPTION "M"



SCALE 1:1

This diagram shows the rear of the printer with the optional Ethernet network interface installed. It highlights the various ports available for network connectivity, including a BNC connector, a 10/100/1000 Mbps Ethernet port, and a USB port.

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IF IT IS SUBMITTED TO ANY OTHER ORGANIZATION, THE ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DATE 14NOV2006 BY A HOLT CHK W WELLINSKY 4NOV2006 APP W WELLINSKY 4NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.010 1 PLC ±.010 2 PLC ±.010 ID 3 PLC ±.010 4 PLC ±.010 ANGLES ±.3°		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO WEIGHT SEE NOTE 5 A 1 00779 C=1924170	
MATERIAL SEE CHART 2		FINISH -		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 3:1 SHEET 1 OF 5 REV F	

[illegible][illegible][illegible]

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22													35	36	37	38	39	40	0-1924170-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36					0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30					35	36					0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30					35	36	37	38	39	40	1-1924170-0	G
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-4	G	
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12						17	18			21	22											35	36	37	38	39	40	1-1924170-6	G		
1	2						7	8	9	10	11	12						17	18			21	22											35	36	37	38	39	40	1-1924170-7	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-9	G	
							7	8	9	10	11	12																								35	36					2-1924170-0	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		23	24	25	26	27	28	29	30					35	36	37	38	39	40	2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																							39	40	2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-3	G		
1	2						7	8	9	10	11	12						17	18		21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12						17	18		21	22	23	24										35	36	37	38	39	40	2-1924170-5	G		
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G
							7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G	
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40	2-1924170-8	G		
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G	
											11	12																								37	38	39	40	3-1924170-0	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-1	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G	
1	2						7	8	9	10	11	12									21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24										35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G
											11	12							19	20																37	38	39	40	4-1924170-0	G		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20																	37	38	39	40	4-1924170-1	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	4-1924170-2	G
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20		21	22	23	24			27	28	29	30	31	32			35	36	37	38	39	40	4-1924170-3	G
1	2	3	4	5	6						11	12	13	14	15																												

LOC	DIST	REVISIONS						
FX	00	-	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	SEE SHEET 1	-	-	-		

PIN OUT CHART																																														
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																														
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																														
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40							
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G				
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24				27	28	29	30						35	36	37	37	39	40	6-1924170-8	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24													35	36	37	37	39	40	6-1924170-9	G			
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30								37	38	39	40	7-1924170-0	G			
				5	6	7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	7-1924170-1	G			
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24												35	36	37	38	39	40	7-1924170-2	G				
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G				
											11	12											24																			7-1924170-4	G			
1	2										11	12	13	14	15	16							24																			7-1924170-5	G			
											11	12																															7-1924170-6	G		
											11	12																															7-1924170-7	G		
											11	12																															7-1924170-8	G		
						7	8	9	10	11	12																																7-1924170-9	G		
						7	8	9	10	11	12																																8-1924170-0	G		
						7	8	9	10	11	12																																8-1924170-1	G		
							9	10	11	12								17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G		
				5	6	7	8	9	10	11	12	13	14	15	16																													8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20																						8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16					19	20																							8-1924170-5	G	
1	2					7	8	9	10	11	12		14	15			17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G			
1	2					7	8	9	10			13	14	15	16						21	22		24												35	36	37	38	39	40	8-1924170-7	G			
1	2					7	8	9	10			13	14	15	16						21	22		24												35	36	37	38	39	40	8-1924170-8	G			
1	2	3	4			7	8	9	10	11	12		14	15			17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G			
1	2	3	4			7	8	9	10	11	12		14	15			17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			9-1924170-1	G				
		3	4	5	6						11	12												24												35	36	37	38	39	40	9-1924170-2	G			
						7	8	9	10	11	12													24													35	36	37	38			9-1924170-3	G		
											11	12												24													35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6						11	12																															9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																								9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16					19	20			24																				9-1924170-7	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24																				9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20			24																				9-1924170-9	G	
						7	8	9	10	11	12	13	14	15	16					19	20			24																				0-1924171-1	G	
											11	12																																0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12									19	20			24																				0-1924171-3	G	
						7	8	9	10	11	12																																	0-1924171-4	G	
											11	12																																0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	0-1924171-6	G				
						7	8	9	10	11	12													24																				0-1924171-7	G	
											11	12	13	14	15	16								24													35	36							0-1924171-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30						35	36	37	38		40	0-1924171-9	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30						35	36	37	38	39	40	1-1924171-0	G				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1924170-8](#)