







MGPWC-00060-P	REV	<div> Tyco Electronics</div>	
1879559-1	BA		
Product Description	CM Choke, RoHS TTI7570 Previously MGPWC-00060		
<div><div><div></div><div></div></div><div><div><p>Terminal Dimensions Customer to determine PCB pad dimensions.</p></div><div><p>Schematic</p></div></div></div>			
Primary Units are in inches millimetres in brackets			
Electrical Specifications at +20°C unless noted otherwise			
Test	Limits	Unit	Tol Notes
Inductance	3.70	mH	±20% 2-1, 10kHz, 100mVAC, Ls.
Inductance	3.70	mH	±20% 3-4, 10kHz, 100mVAC, Ls.
Leakage Inductance	5.00	µH	Max. 1-2 Tie(3+4), 10kHz, 100mVAC,Ls.
DC Resistance	1.5	Ω	Max. Pins 1 - 2
DC Resistance	1.5	Ω	Max. Pins 3 - 4
Dialectric	500	VDC	1-3, 1 second test
<div><div>Terminal Plating is Gold Flash over Ni</div><div>260°C Maximum reflow temperature per J-STD-020B</div><div>Operating Temperature Range: -40°C to +85°C</div></div> <div><div> RoHS Compliant</div><div>The information contained in this drawing is the sole property of Tyco Electronics. Any reproduction or use without the written permission of Tyco Electronics is prohibited.</div><div>Specifications subject to change without notice. For latest revision visit http://www.tycoelectronics.com</div></div>			
Page 1 of 1 Date 03/03/09			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[MGPWC-00060-P](#)