

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION



© COPYRIGHT 2011 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW






DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
A3	ECR-12-012115		260CT'12	EL	WK



RECOMMENDED PCB LAYOUT
RECOMMENDED PCB THICKNESS: 1.6mm
TOLERANCE: ±0.05 (TOP VIEW)



NOTES:

1. MATERIAL:

1.1 HOUSING: THERMOPLASTIC (SEE TABLE) WITH 30% GF,
UL94V-0, COLOR: BLACK

1.2 CONTACT: PHOSPHOR BRONZE.

2. FINISH:

2.1 CONTACT: (SEE TABLE) GOLD PLATED ON ALL CONTACTS,
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.

③ WAVE SOLDER CAPABLE TO 240°C PER 109-202, CONDITION A.

④ REFLOW SOLDER CAPABLE TO 260°C PER TEC-109-201, CONDITION B.

⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBSOLETE		1.27um[50u"]	1-1775089-4
		0.76um[30u"]	1-1775089-3
		0.38um[15u"]	1-1775089-2
		0.15um[6u"]	1-1775089-1
OBSOLETE	PA46 ④	1.27um[50u"]	1-1775089-4
		0.76um[30u"]	1-1775089-3
		0.38um[15u"]	1-1775089-2
		0.15um[6u"]	1-1775089-1
	PBT ④	1.27um[50u"]	1-1775089-4
		0.76um[30u"]	1-1775089-3
		0.38um[15u"]	1-1775089-2
		0.15um[6u"]	1-1775089-1
	HS'G MATERIAL	MIN. GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S. CHIEN 10FEB2008

CHK S. HOU 10FEB2008

APVD W. KODAMA 10FEB2008

PRODUCT SPEC

108-57535

APPLICATION SPEC

WEIGHT 3.45 GRAMS

CUSTOMER DRAWING

TE Connectivity

NAME

MODULAR JACK, RJ45, LOW PROFILE, V/R

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-1775089


SCALE SHEET 1 OF 2 REV A3

DIMENSIONS:

mm

TOLERANCES UNLESS

OTHERWISE SPECIFIED:



0 PLC	± .
1 PLC	± 0.3
2 PLC	± 0.2
3 PLC	± 0.15
4 PLC	± .
ANGLES	± 3°

MATERIAL

SEE NOTE

FINISH

SEE NOTE

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.



COPYRIGHT 2011


BY TYCO ELECTRONICS CORPORATION.

LOC
DW

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			



NOTES:

1. MATERIAL:
TRAY: PVC.
BOX: CORRUGATED FIBER.
2. DIMENSION: SEE DRAWING
3. QUANTITY: SEE TABLE
4. WEIGHT: SEE TABLE

14.30KG	11.18KG	90	36	3240
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± .
	1 PLC ± 0.3
	2 PLC ± 0.2
	3 PLC ± 0.15
	4 PLC ± .
	ANGLES ± 3°
MATERIAL	FINISH

DWN	CHK	APVD	PRODUCT SPEC	APPLICATION SPEC	WEIGHT
—	—	—	—	—	—
NAME					
MODULAR JACK, RJ45, LOW PROFILE, V/R					
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
A3	00779	C=1775089	—		
CUSTOMER DRAWING			SCALE	SHEET	REV
—			—	2 OF 2	A3

TE TE Connectivity

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1775089-3](#)