





参考基板レイアウト
P.C BOARD PATTERN
DIMENSION(REF.)
(マウント面)
(MOUNTING SIDE)

注 記 NOTE


1. 使用材料
MATERIAL
ハウジング
HOUSING : 液晶ポリマー (LCP)、ガラス充填、
UL94V-0 色: 黒色
LIQUID CRYSTAL POLYMER(LCP)
GLASS FILLED,UL94V-0 COLOR:BLACK
ターミナル
TERMINAL : 銅合金(τ=0.18)
ニッケル下地 金メッキ (コンタクト、テール部)
COPPER ALLOY(τ=0.18)
GOLD PLATING(CONTACT, TAIL AREA) OVER NICKEL PLATING.
金具
FITTING NAIL : 銅合金(τ=0.25)
ニッケル下地 錫メッキ
COPPER ALLOY(τ=0.25)
TIN OVER NICKEL PLATING.

- △ N=偶数に適用 (N: 極数)
APPLY FOR N-EVEN IN CIRCUIT)
△ パターン剥離止め用金具
FITTING NAIL FOR PREVENTION OF PEELING
OF P.C.B. PATTERN.
△ 適合ジャケット: 501783-**09
製品詳細寸法はSD-501783-001を参照下さい。
APPLICABLE JACKET:501783-**09
RE DETAILED DIMENSION,SEE "SD-501783-001."
△ 適合ジャケットカバー: 501784-**09
製品詳細寸法はSD-501784-001を参照下さい。
APPLICABLE JACKET:501784-**09
RE DETAILED DIMENSION,SEE "SD-501784-001."
6. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT

42.2	44.1	39.5	48.1	501786-8090	80
27.2	29.1	24.5	33.1	501786-5090	50
D	C	B	A	EMBOSSED PACKAGE	極 数
				オーダー番号 ORDER NO.	CIRCUITS

CONNECTOR SERIES NO. 501786-**11

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
10 UNDER	±0.2	DRAWN BY	DATE	0.5 FFC TO BOARD CONN REC HSG ASSY(ST)		
10 OVER 30 UNDER	±0.25	H.IIJIMA	06/01/13			
30 OVER	±0.3	CHECKED BY	DATE			
		K.TAKAHASHI	06/01/13			
ANGULAR ±1 °		APPROVED BY	DATE	MOLEX INCORPORATED		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		H.HIRATA	06/01/13			
		MATERIAL NO.	501786-**11	DOCUMENT NO.	SD-501786-001	SHEET NO. 1 OF 2
		SIZE	A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



NOTES

- 梱包数量：900 個ノリール
NUMBER OF CONNECTORS:900 PCS/REEL
- リードテープ長さ
LEAD TAPE LENGTH

トップテープ接着部
TOP TAPE BONDED PART
(空エンボス)
(EMPTY)

100 MIN.


引き出し方向
PULL OUT DIRECTION



- 3. トップテープの剥離強度：0.1~1.47N(10~150gf)
(剥離方向は下図参照)
剥離速度：300mm/MIN.(参考)
PEEL-OFF FORCE OF TOP TAPE：0.1~1.47N(10~150gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)

剥離方向
PEEL OFF DIRECTION

引き出し方向
PULL OUT DIRECTION




- 製品詳細寸法については図面 SD-501786-001を参照下さい。
RE DETAILED DIMENSION, SEE SD-501786-001.
- 材料(MATERIAL)
キャリアテープ(CARRIER TAPE)：ポリスチレン(POLYSTYRENE)
トップテープ(TOP TAPE)：PET, PE, PE
リール(REEL)：ポリスチレン(POLYSTYRENE)
- ELV及びRoHS適合品
ELV AND RoHS COMPLIANT



REVISED	EC NO: J2010-1937	2010/03/25	DRWN:YORI	2010/03/25	CHKD:MATSUURA	2010/03/25	APPR:KMORI KAWA	2010/05/10	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
										10 UNDER		± 0.2	DRAWN BY H.IIJIMA		DATE 06/01/17	TITLE EMBSTP PKG FOR 0.5 FFC TO BOARD ST TYPE			
										10 OVER 30 UNDER		± 0.25	CHECKED BY K.TAKAHASHI		DATE 06/01/17				
										30 OVER		± 0.3	APPROVED BY H.HIRATA		DATE 06/01/17	MOLEX MOLEX INCORPORATED			
										ANGULAR		$\pm 3^\circ$	MATERIAL NO. 501786-**90		DOCUMENT NO. SD-501786-003		SHEET NO. 1 OF 2		
										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
										REV									

10 9 8 7 6 5 4 3 2 1

引き出し方向
PULL OUT DIRECTION



SECT. Y-Y



SECT. X-X

72mm幅キャリアテープ
72mm WIDTH CARRIER TAPE

72	73.5	40.68	48.3	501786-8090	80
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	A	オーダー番号 ORDER NO.	極数 CKT

REVISED EC NO: J2010-1937 DRWN: YMORI CHKD: MATSUURA APPR: KMORI KAWA	2010/03/25	2010/03/25	2010/05/10	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	10 UNDER		±0.2		DRAWN BY H. IJIMA		DATE 06/01/17		TITLE EMBSTP PKG FOR 0.5 FFC TO BOARD ST TYPE MOLEX MOLEX INCORPORATED			
	10 OVER 30 UNDER		±0.25		CHECKED BY K. TAKAHASHI		DATE 06/01/17					
	30 OVER		±0.3		APPROVED BY H. HIRATA		DATE 06/01/17					
	ANGULAR		±3 °		MATERIAL NO. 501786-**90		DOCUMENT NO. SD-501786-003		SHEET NO. 2 OF 2			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									