


Expansion boards for the STM32F4 Discovery kit

Data brief

Features

- Base board:
 - microSD card™ slot
 - 10/100 Ethernet with IEEE 1588v2 (RJ45 connector)
 - Connector for camera board
 - Connector for LCD board
 - Connector for UART, I²C, SPI, CAN, PWM and GPIOs
- 3"5 LCD board:
 - Driving IC: SSD2119
 - Display format: 320 * 240
 - Color: 262K colors
 - Backlight: PWM control
 - Interface: 16-bit 8080 parallel system interface
 - Touch screen: 4-wire resistive touch screen
- Camera board:
 - Signal system: CMOS 1.3 Megapixel
 - Resolution: up to 1280 * 1024
 - Support for still photos
 - Frame rate: 15 fps for SXGA, 30 fps for VGA and CIF
- Wi-Fi® board
 - 2.4 GHz IEEE 802.11b/g/n
 - AP/STA Dual mode
 - Built-in TCP/IP stack, HTTP, DHCP, DNS and Web Server
 - Support for WPA/WPA2 PSK security
 - Wi-Fi® SN8200 module: chipset Broadcom BCM43362 and STM32
 - UART or SPI as host interface or standalone station
 - Other interfaces: GPIO, ADC, DAC, I²C
 - JTAG interface for debugging
 - Power options: 5 V power jack, Mini USB Plug



1. Picture is not contractual.

Description

This set of four boards (STM32F4DIS-EXT) expands the functionality of the STM32F4 Discovery kit. A base board connected to the STM32F4 Discovery kit provides a microSD card™ slot, Ethernet connectivity, extension connectors for LCD and camera boards as well as an easy access to UART, SPI, CAN and other interfaces. The Wi-Fi® board connects to the STM32F4 Discovery kit using a serial host interface (UART or SPI). A digital camera board featuring a 1.3-Megapixel CMOS sensor and a 3"5 LCD board with touch-screen capability, connected to the base board along with a Wi-Fi® board featuring the SN8200 Wi-Fi® module, form a complete system. For more information, visit the webpage:
<http://www.st.com/stm32f4dis-expansion>

Ordering information

Table 1. Order codes

Order code	Reference for the STM32F4 Discovery kit
STM32F4DIS-BB	Base board
STM32F4DIS-CAM	Camera board
STM32F4DIS-LCD ⁽¹⁾	3"5 LCD board
STM32F4DIS-WIFI ⁽¹⁾	Wi-Fi board

1. ST order code is discontinued, this product can be ordered on the <http://www.element14.com> webpage.

For more information, documentation and downloads, refer to STMicroelectronics microcontroller support site, www.st.com.

Revision history

Table 2. Document revision history

Date	Revision	Changes
14-Dec-2012	1	Initial release.
15-Nov-2013	2	<i>Description</i> modified to add Wi-Fi feature.
15-May-2017	3	Updated <i>Table 1</i> .

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics – All rights reserved



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[STMicroelectronics:](#)

[STM32F4DIS-CAM](#) [STM32F4DIS-LCD](#) [STM32F4DIS-BB](#) [STM32F4DIS-WIFI](#)