









RECOMMENDED FFC/FPC



RECOMMENDED PCB LAYOUT (THK= 1.6±0.1)  
(FOR ODD POSITION CONNECTORS)  
NON-ACCUMULATIVE TOLERANCE



RECOMMENDED PCB LAYOUT (THK= 1.6±0.1)  
(FOR EVEN POSITION CONNECTORS)  
NON-ACCUMULATIVE TOLERANCE

THIS DRAWING IS A CONTROLLED DOCUMENT.

|     |           |
|-----|-----------|
| DWN | 15 JUN 04 |
|-----|-----------|

|      |           |
|------|-----------|
| WILL |           |
| CHK  | 22NOV2011 |

|        |           |
|--------|-----------|
| LF TAN |           |
| APVD   | 22NOV2011 |

PRODUCT SPEC

APPLICATION SPEC

|        |  |
|--------|--|
| WEIGHT |  |
|--------|--|

Customer Drawing

**STE**

## TE Connectivity

|      |                       |
|------|-----------------------|
| NAME | ASSY, 1.00mm FFC CONN |
|      | DIP, V                |


|      |           |            |               |
|------|-----------|------------|---------------|
| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|------|-----------|------------|---------------|

A 300779C-84984

|       |     |       |   |    |   |     |    |
|-------|-----|-------|---|----|---|-----|----|
| SCALE | 5.1 | SHEET | 2 | OF | 2 | REV | F3 |
|-------|-----|-------|---|----|---|-----|----|

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED.

|        |     |            |
|--------|-----|------------|
| 0      | PLC | $\pm 0.30$ |
| 1      | PLC | $\pm 0.30$ |
| 2      | PLC | $\pm 0.30$ |
| 3      | PLC | $\pm -$    |
| 4      | PLC | $\pm -$    |
| ANGLES |     | $\pm$      |

MATERIAL



|        |
|--------|
| ANGLES |
| FINISH |



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-84984-3](#)