

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0		K18	REVISED PER ECO-11-004587	11MAR11	RK	HMR

PHYSICAL PROPERTIES:
HOUSING MATERIAL: THERMOPLASTIC, PC
FLAMABILITY: UL94V-0
COLOR: BLACK

TERMINAL:
TERMINALS: BRASS, TIN PLATED
SCREWS: 6-32 STEEL, NICKEL PLATED

MECHANICAL:
PITCH: .437
WIRE RANGE: 14-22 AWG
RECOMMENDED TIGHTENING TORQUE: 12IN-LB

ELECTRICAL PROPERTIES:
MAX CURRENT: 25A
OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:
OPERATING TEMP: -40°C TO 120°C

- 1


SEE FIGURE.
- 2

PRELIMINARY PART NUMBER.
- 3

STAINLESS STEEL SCREWS.
- 4

WHITE INK STAMP.
- 5

TE CONNECTIVITY LOGO LOCATED APPROXIMATE AREA.




	5.646	5.992	12	4-1546670-2
	9.142	9.488	20	2-1546670-0
	8.705	9.051	19	1-1546670-9
2	8.268	8.614	18	3-1546670-0
	8.268	8.614	18	1-1546670-8
	7.831	8.177	17	1-1546670-7
	7.394	7.740	16	1-1546670-6
	6.957	7.303	15	1-1546670-5
	6.520	6.866	14	1-1546670-4
	6.083	6.429	13	1-1546670-3
	5.646	5.992	12	1-1546670-2
	5.209	5.555	11	1-1546670-1
4	4.772	5.118	10	4-1546670-3
2	4.772	5.118	10	3-1546670-8
	4.772	5.118	10	1-1546670-0
2	4.335	4.681	9	3-1546670-5
2	4.335	4.681	9	3-1546670-2
	4.335	4.681	9	1546670-9
1	3.898	4.244	8	4-1546670-1
3	3.898	4.244	8	3-1546670-6
2	3.898	4.244	8	3-1546670-4
2	3.898	4.244	8	3-1546670-3
	3.898	4.244	8	1546670-8
	3.461	3.807	7	1546670-7
1	3.024	3.370	6	3-1546670-1
	3.024	3.370	6	1546670-6
1	2.587	2.933	5	2-1546670-8
1	2.587	2.933	5	2-1546670-7
	2.587	2.933	5	1546670-5
2	2.496	2.933	4	3-1546670-9
1	2.150	2.496	4	2-1546670-9
	2.150	2.496	4	1546670-4
	1.713	2.059	3	1546670-3
	1.276	1.622	2	1546670-2
	DIM B	DIM A	NO OF POS	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHEGEL	4/4/03	 TE Connectivity					
		CHK C RICHARD	4/4/03						
DIMENSIONS: INCHES		APVD C RICHARD	4/4/03	NAME DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING					
		PRODUCT SPEC —							
		APPLICATION SPEC —		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
		MATERIAL —		WEIGHT —	A2	00779	C=1546670	—	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± .01 3 PLC ± .005 4 PLC ± — ANGLES ± 3°		FINISH —		CUSTOMER DRAWING					
				SCALE	NTS	SHEET	1 of 3	REV	K18

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0		—	SEE SHEET 1	—	—	—

DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5




JUMPER QTY 2




2-1546670-7

DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5





.250
TYP



2-1546670-8


JUMPER, QTY 1




3-1546670-2

DOUBLE SIDED, DOUBLE HOLE
45° QC TAB, QTY 9


DOUBLE SIDED, DOUBLE HOLE
90° QC TAB, QTY 9



DOUBLE SIDED, DOUBLE HOLE
QC TAB, QTY 5




SINGLE SIDED, SINGLE HOLE
QC TAB, QTY 2




2-1546670-9

SINGLE SIDED, DOUBLE HOLE
QC TAB, QTY 6





.250
TYP



3-1546670-1



DOUBLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 8.

JUMPER, QTY 2




3-1546670-3

DOUBLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 8.




3-1546670-4

SINGLE SIDED, DOUBLE HOLE
QC TAB, QTY 18



.250
TYP



3-1546670-0

11.764	12.110	26	2-1546670-6
11.327	11.673	25	2-1546670-5
10.90	11.236	24	2-1546670-4
10.453	10.799	23	2-1546670-3
10.016	10.362	22	2-1546670-2
9.579	9.925	21	2-1546670-1
9.142	9.488	20	3-1546670-7
DIM B	DIM A	NO OF POS	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL		4/4/03		 TE Connectivity			
DIMENSIONS: INCHES		CHK	C RICHARD		4/4/03					
		APVD	C RICHARD		4/4/03		NAME DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING			
		PRODUCT SPEC		—						
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		—		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
0 PLC ± —		—		—		A2		00779	C=1546670	—
1 PLC ± —		—		—		—		—		—
2 PLC ± .01		—		—		—		—		—
3 PLC ± .005		—		—		—		—		—
4 PLC ± —		—		—		—		—		—
ANGLES ± 3°		—		—		—		—		—
FINISH		—		—		—		—		—
MATERIAL		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—
—		—		—		—		—		—

LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

D


DOUBLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 9.

JUMPER, QTY 1




3-1546670-5

DOUBLE SIDED, DOUBLE HOLE
45° QC TAB, QTY 9




C




SINGLE SIDED, DOUBLE HOLE
45° QC TAB, QTY 10

SINGLE SIDED, DOUBLE HOLE
90° QC TAB, QTY 10

JUMPER, QTY 4




4-1546670-3




SINGLE SIDED, DOUBLE HOLE
FLAT QC TAB, QTY 10


B





3-1546670-8




A



4-1546670-1



3-1546670-9



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S	SCHEGEL	4/4/03			TE Connectivity	
DIMENSIONS: INCHES		CHK	C	RICHARD	4/4/03			NAME	
		APVD	C	RICHARD	4/4/03	PRODUCT SPEC		DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING	
		APPLICATION SPEC		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		WEIGHT		A2		00779	C-1546670	-	
FINISH		CUSTOMER DRAWING		SCALE		NTS	SHEET	3 OF 3	REV
									K18

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1546670-5](#)