










PCB LAYOUT KEYED / CONNECTED ONLY WITH ADDITIONAL FRAME (THICK KEYING)
Leiterplattenanschluss kodiert / nur in Verbindung mit zusätzlichem Rahmen



PCB LAYOUT KEYED / CONNECTED ONLY WITH ADDITIONAL FRAME (SLIM KEYING)
Leiterplattenanschluss kodiert / nur in Verbindung mit zusätzlichem Rahmen




- 26 WITH SPECIAL CHAIN FEATURE
- 25 SIDE KEYING ON LAST CAVITY THICKNESS=1.5mm
- 24 SIDE KEYING ON CAVITY 1 THICKNESS=1.5mm
- 19 COLOR MARKING IN THIS AREA, COLOR SEE TABLE
- 18 SLOT, THICK, BETWEEN CAVITIES
- 17 KEYING, THICK, BETWEEN POSITION
- 16 SLOT, SLIM, FOR SIDE KEYING, LAST CAVITY Schlitz,duenn, an letzte Kammer
- 15 SLOT, SLIM, FOR SIDE KEYING,SIDE CAVITY 1 Schlitz,duenn, fuer Seitenkodierung
- 14 SIDE KEYING, SLIM, ON LAST CAVITY Seitenkodierung, duenn, an letzte Kammer
- 13 SIDE KEYING, SLIM, ON CAVITY 1 Seitenkodierung, duenn, an Kammer 1
- 12 KEYING SLIM BETWEEN POSITIONS
- 11 PRELIMINARY PART NOT RELEASED FOR PRODUCTION
- 10 TE LOGO
- 9 INCLUSIVE COPPER LOADING Inklusive Kupferkaschierung
- 8 PCB PREFERABLY CHAMFERED Leiterplatte vorzugsweise angefast
- 7 SLOT, THICK, FOR SIDE KEYING Schlitz,dick, fuer Seitenkodierung
- 6 SIDE KEYING, THICK, ON LAST CAVITY Seitenkodierung, dick, an letzte Kammer
- 5 WIRE RANG: 0.22-0.35mm² SEE APPLICATION SPEC. 114-18467 Drahtgrößenbereich: 0.22-0.35mm² siehe Verarbeitungsspec. 114-18467
- 4 IEC60695-2-11 / IEC60335-1 GLOW WIRE TEST 750 °C WITHOUT FLAME IEC60695-2-11 / IEC60335-1 Gluehdrahttest 750 °C ohne Flamme
- 3 X..CAVITY LOADED WITH CONTACT O..CAVITY WITHOUT CONTACT X..Kammer mit Kontakt bestueckt O..Kammer ohne Kontakt
- 2 MATING PART: PCB (WITH FRAMES ACC. RAST 2.5 E.G. PN 964 575/576 TABHEADER PN 829 866/867 Passender Gegenstecker: Leiterplatten (mit Rahmen nach RAST 2.5 z.B. 964 575/576) Tabwannen Nr. 829 866/867
- 1 KEYING RIBS: CUTTING WITH TERMINATION MACHINE POSSIBLE Kodierrippe; Schneiden auf der Verarbeitungsmaschine moeglich

2	SEE TABLE	CONTACT/Kontakt	CuSn	TINNED/verzinkt
1	siehe Tabelle	HOUSING/Federleistengenh.	HIGH TEMP PLASTIC	NATUR/Natur
POS.	PN Bestell-Nr.	DESCRIPTION Beschreibung	MATERIAL	COLOUR/FINISH Farbe/Oberflaeche


THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN H. Karabiyik 24MAY2002	TE Connectivity	
DIMENSIONS: mm		CHK B. Schnaubel 24MAY2002	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. Klenner 24MAY2002	AMP DUOPLUG 2.5 MARK II FEMALE CONNECTOR 3-20 POSITION SELECTIVE LOADED	
0 PLC ±0.2		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
1 PLC ±0.2		108-18785	A 1 00779 C=1534 798	
2 PLC ±0.2		APPLICATION SPEC	RESTRICTED TO	
3 PLC ±		114-18467	SCALE 5:1 SHEET 1 OF 3	
4 PLC ±		WEIGHT	REVISION	
ANGLES FINISH		-	Customer Drawing	

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION		DATE	OWN	APVD
			-	SEE SHEET 1		-	-	-



0.5


KEYING 22



0.7

KEYING 23

- 23 KEYING. SPECIAL THICK. BETWEEN POSITION
- 22 KEYING. SPECIAL THIN. BETWEEN POSITION
- 21 SLOT FOR KEYING SPECIAL. BETWEEN POSITION
- 20 RECOMMENDED PCB CUTOFF DIMENSION FOR THE PN X-2304527-Y AND X-2304528-Y



GWT 750C AND UL94 V0 VERSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	13	30	34.9					-	2/3	1-2304528-3 2304528-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Blue								X	0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	11	25	29.9					-	-	2-2304528-1 1-2304528-1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Orange								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	11	25	29.9					-	-	2-2304528-1 2304528-1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Green								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	10	22.5	27.4						-	-	2-2304528-0 1-2304528-0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								X	X	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	9	20	24.9						-	2/3	3-2304527-9 2-2304527-9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	9	20	24.9						-	2/3	2-2304527-9 1-2304527-9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Black								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	7	15	19.9						-	2/3	2-2304527-7 1-2304527-7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Blue								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	7	15	19.9						-	-	2-2304527-7 2304527-7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	6	12.5	17.4							-	-	6-2304527-6 5-2304527-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Red								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	6	12.5	17.4							-	-	4-2304527-6 3-2304527-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Black								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	6	12.5	17.4							-	-	2-2304527-6 1-2304527-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Green								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	6	12.5	17.4							-	-	2-2304527-6 2304527-6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	5	10	14.9								-	-	4-2304527-5 3-2304527-5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	5	10	14.9								-	-	2-2304527-5 1-2304527-5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Blue								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	5	10	14.9								-	-	2-2304527-5 2304527-5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Red								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	4	7.5	12.4							-	3/4	2304527-4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Red								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9								2/3		8-2304527-3 7-2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Red								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9								1/2		6-2304527-3 5-2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9								2/3		4-2304527-3 3-2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Blue								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9										1/2	-	2-2304527-3 1-2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9									2/3	-	2-2304527-3 1-2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Black								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9										-	-	2-2304527-3 2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Red								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9										-	-	2-2304527-3 2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Brown								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9										-	-	2-2304527-3 2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Orange								X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	0	X	3	5	9.9										-	-	2-2304527-3 2304527-3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Color Code	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	POS. Polzahl	DIM A	DIM B	KEYING	KEYING	KEYING	KEYING	PN 11	Bestell-Nr.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	KAMMERBESTUECKUNG (CAVITIES LOADED)																				3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN H. Karabiyik 24MAY2002
CHK B. Schnaubel 24MAY2002
APVD T. Klenner 24MAY2002

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.2
1 PLC ±0.2
2 PLC ±0.2
3 PLC ±
4 PLC ±
ANGLES ±°
FINISH

MATERIAL -
-

PRODUCT SPEC 108-18785
APPLICATION SPEC 114-18467

WEIGHT -

Customer Drawing

TE Connectivity

NAME AMP DUOPLUG 2.5 MARK II FEMALE CONNECTOR 3-20 POSITION SELECTIVE LOADED

SIZE A 1 CAGE CODE 00779 DRAWING NO. 1534798

RESTRICTED TO -

SCALE 10:1

SHEET 3 OF 3

REV 033

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-1534798-8](#)