








NOTES,
1 Material:Housing:Aluminium Diecasting Alloy
Seals:Neoprene

2 Surface: Varnish grey
-Aluminium Oxide + Varnish Black

3 Varnish on the inside not necessary

4 Packaging
Quantity 5 Pieces in a box

5 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



5		5		5					
OBSOLETE		OBSOLETE		OBSOLETE					
1	1	1	1	Gland fitting PG21	Brass	Nickel plated		12	
		1	1	DS-Cable connection round PG21	Brass	Nickel plated		11	
2			1	LB-Clip bolt	Stainless steel	Blank		10	
1		1	1	Cover HB.16	Aluminium	Aluminium oxide	Black	9	
		1	1	Cover HB.16	Aluminium		Grey	8	
1			1	LB-Side clip	Stainless steel	Blank		7	
		1		LB-Side clip	Steel	Zinc plated		6	
		4	1	VS-Clip bolt	Stainless steel	Blank		5	
			4	VS-Clip bolt	Steel	Zinc plated		4	
1	1	1	1	Profile seal	Neoprene		Black	3	
1		1	1	Surface mounted housing HD.40.Pg.1.21	Aluminium	Aluminium oxide	Black	2	
		1	1	Surface mounted housing HD.40.Pg.1.21	Aluminium		Grey	1	
2-2	1-2	2-6	1-6	DESCRIPTION	MATERIAL	SURFACE	COLOR	ITEM NO	REMARKS
				ORDERING TEXT					
				HD.40.SGD.1.21					
				HD-K.40.SGD.121					
				HD.40.SGD-LB.1.21					
				HD-K.40.SGD-LB.1.21					

<p>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</p>		DWN Schneider	21.01.2000	 TE Connectivity Surface mounted housing side entry HD .40.SGD .1.21			
		CHK Schweiger	21.01.2000				
DIMENSIONS: mm		APVD -	NAME PRODUCT SPEC -				
 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		TOLERANCES UNLESS OTHERWISE SPECIFIED: n. ISO 8015: n. ISO 2768-mH-E: n. DIN 16901-120					
		APPLICATION SPEC -	SIZE A		CAGE CODE 00779	DRAWING NO C- 1102588	RESTRICTED TO
MATERIAL FINISH		WEIGHT -					
CUSTOMER DRAWING				SCALE 1:1	 SHEET 1	 OF 1	 REV A5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1102588-6](#)