


	2			1								
	LOC DIST			REVISIONS								
	AD 47	P LTR		DESCRIPTION	DATE	DWN	APVD					
		В3	REVISED PER E	00-12-007590	19JUL12	KH	MH					
$\Lambda$	HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK. Contacts: High Reliability copper alloy. ground busses: brass,uns c26000											
2	CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 1 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108–1422, SOLDER TAILS PLATED MATTE TIN.											
3	DATE CODE MARKED IN AREA INDICATED ON SAME SIDE AS POSITION $\#1$ .											
4	ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.											
5	TOLERANCE	NON-	ACCUMULAT	IVE.								



									1	
0[76.2]	6	3.450[87.63]	3.89	98[99]	4.000[10	)1.6]	266	576	7006-7	
0[63.5]	5	2.950[74.93]	3.398	3[86.31]	3.500[88	8.9]	228	5767006-6		
0[50.8]	4	2.450[62.23]	2.898	3[73.61]	3.000[7	6.2]	190	576	7006-5	
0[38.1]	3	1.950[49.53]	2.398	3[60.91]	2.500[6.	3.5]	152	5767006-4		
0[25.4]	2	1.450[36.83]	1.898	3[48.21]	2.000[50	0.8]	114	5767006-3		
)[12.7]	1	.950[24.13]		3[35.51]	1.500[38	8.1]	76	5767006-2		
0]00	0	.450[11.43]	.898	[22.81]	1.000[2	5.4]	38	5767006-1		
E	D	С		В	А		NO OF POS		PART JMBER	
CONTROLLED DOCUMENT. DWN 25 OCT 04 G. ATTADIA CHK 25 OCT 04 CHK 25 OCT 04 D. DIXON				TE Connectivity						
0 PLC 1 PLC 2 PLC 3 PLC	ANCES UNLESS VISE SPECIFIED: ± - ± - ± 005[0.13]	APVD D. DIXON PRODUCT SPEC	APVD 25 OCT 04 D. DIXON PRODUCT SPEC 108-1422		NAME PLUG ASSEMBLY, RIGHT ANGLE, .025[0.64] CENTER LINE, .062[1.57] PCB, MICTOR					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		114-13088		SIZE CAGE C	ODE DRAWING NO				RESTRICTED TO	
FINISH	$\wedge$	WEIGHT		A1 007	79 <b>C-</b> 576		6			
	$\angle \angle $	CUSTOMER DRA	AWING			SCALE	1:1 SHEET	1 OF	1 <sup>REV</sup> B3	

В

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 5767006-2