


PART NUMBER	POLARIZATION TYPE	PLATING OPTION	PIN IDENTIFICATION PER CIRCUIT, SEE NOTE 7							
			CKT. 1	CKT. 2	CKT. 3	CKT. 4	CKT. 5	CKT. 6	CKT. 7	CKT. 8
455860001	FIRST GENERATION	GS2	STD.	MF/BL	MF/BL	MF/BL	STD.	MF/BL	MF/BL	MF/BL
455860002	SECOND GENERATION	GS2	STD.	MF/BL	MF/BL	MF/BL	STD.	MF/BL	MF/BL	MF/BL
455860004	FIRST GENERATION	GS	STD.	MF/BL	MF/BL	MF/BL	STD.	MF/BL	MF/BL	MF/BL



455860002
SECOND GENERATION POLARIZATION

QUALITY SYMBOLS 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	REMOVE -0005 EC NO: 121810 DRWN: PKH CHKD: JBELL REV / APPR: FSMITH	2017/09/07		2017/09/14		2017/09/22		DIMENSION UNITS IN/MM		SCALE 4:1	
		GENERAL TOLERANCES (UNLESS SPECIFIED)						DRWN BY GEP		DATE 2001/03/07	
		4 PLACES ±		±				CHK'D BY YM		DATE 2001/03/07	
		3 PLACES ±		± 0.01				APPR BY FSMITH		DATE 2011/03/01	
		2 PLACES ± 0.25		± 0.015				DRAWING SIZE C		THIRD ANGLE PROJECTION 	
	1 PLACES ± 0.38		±				ANGULAR TOL ± 0.5				
	0 PLACES ±		±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
	SERIES 45586		MATERIAL NUMBER SEE CHART				CUSTOMER GENERAL MARKET				
	DOCUMENT NUMBER SD-45586-001				DOC TYPE PSD		DOC PART 001		SHEET NUMBER 2 OF 2		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[45586-0001](#)