

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	G1	ECR-16-009822	26JUL2016	GK	SD


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2150631-1

FOR REPLACEMENT PARTS FOR APPLICATOR 687864-1
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
687864-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity			
		CHK	GOPALAKRISHNA HV					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME			
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLE ±		STOUGH DALE		MINIATURE QUICK CHANGE APPLICATOR END-FEED (RING)		
				PRODUCT SPEC				
				APPLICATION SPEC				
MATERIAL		FINISH		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
					A 3		©- 687864-1	
CUSTOMER DRAWING				SCALE	SHEET 1 OF 2	REV G1		

THIS DRAWING IS UNPUBLISHED
BY AMP INCORPORATED ALL RIGHTS RESERVED.
COPYRIGHT 1999
RELEASED FOR PUBLICATION



NOTES.

1. ONLY THE ITEMS WITH QUANTITIES SPECIFIED ON PARTS LIST ARE USED ON THIS APPLICATOR.
- ② USED IN PLACE OF ITEM 38 WHEN INSULATION CRIMP IS NOT USED.
- ③ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN AMP-O-LECTRIC PRESS.
4. PARTS WITH QTY OF REF SPECIFIED (EXCEPT ITEM 30) ARE USED ON ITEM 32.

KEY:

- RECOMMENDED SPARE PARTS.
- LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- GREASE LIGHTLY.

*TRADEMARK OF AMP INCORPORATED

[illegible][illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[687864-1](#)