





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



1 | 2







mat	il. co	de				tolerances unless otherwise specified						CUSTOMER				FÇ							
ltr	ecn no dr			date					.X ±	0.30		COPY			www.fciconnect.com							om	
Н	ТО6-	T06-0074 AC		4/10	0/06	linea	r 🗌	.XX ±			0.20		projection		title	title MINI USB B-TYPE SMT RECEPTACLE							
J	T06-0137		AC	7/18	3/06			.XXX ± 0.1			0	A											
K	T06-0201		AC	12/1	4/06	angle	es	0° ±2°						SWIT RECEPTAGE									
L	T07-1002		JH	1/5/07		dr	JAS	0/10011 1100		12/27/10		ММ		product family 511						code			
М	T10-0095		JH	12/2	7/10	engr	JAS	JASON HSU		12/27/10		-		size	size dwg no					TW	TWN		
N	T-004667		JH	JH 7/27/11		chr	GARY HSIEH		12/27/10		scale		ا ۸ ۸	10033526					6	sheet			
						appd	JOSE	PH HS	SIA	12/27	7/10] N/		A	A4	10033320					0	1 of 2	
she	et	revis	ion	N	N																		
inde	xe	shee	t	1	2																		
	7														caae	code					4		

2

ACAD

PDS: Rev :N 3 STATUS:Released_ Printed: Aug 30, 2011

PROD NO SEE NOTES

5. PRODUCT ORDERING DATA:

FOR LEAD-FREE

1.MATERIAL:

NOTES:

HOUSING: THERMOPLASTIC. UL 94V-0 RATED, COLOR: BLACK.

CONTACT: COPPER ALLOY. SHELL: COPPER ALLOY MYLAR: KAPTON TAPE.

2.FINISH:

CONTACT: UNDERPLATED 50u"MIN. NICKEL OVERALL

100u" MIN. MATTE TIN PLATED ON SOLDERING AREA,


SELECTIVE GOLD PLATED ON CONTACT AREA.


SHIELD: CODE N: NICKEL 40u" ~120u" PLATED OVERALL.


T: SELECTIVE 60u" MIN. MATTE TIN ON LEGS OVER 40u"~120u" NICKEL.

3.10033526-X3212XLF MEETS THE EUROPEAN UNION DIRECTIVE AS DESCRIBE IN GS-22-008 AND ITS HSG WILL WITHSTAND EXPOSE TO 260 DEGREE C PEAK TEMPATURE FOR 10 SECONDS IN A IR REFLOW APPLICATION.

4. PRODUCT SPEC: GS-12-174; PACKAGE SPEC: GS-14-873.







mat	il. co	de				tolerances unless otherwise specified						CUSTOMER			FÇ							
ltr	ecn	no	dr	date			.X ± 0.30				COPY		- www.reiconnect.com								om	
N					linea	r 🗌	.XX ± 0.20				projection		title									
							.XXX ± 0.10				$\hspace{0.1cm} \hspace{0.1cm} \hspace$		MINI USB B-TYPE SMT RECEPTACLE									
					angle	es																
					dr	JA	JASON HSU		12/27/10		scale N/A		product family 511 co						cod	Э		
					engr	JA	JASON HSU		12/27/10				size dwg no T						TW	'N		
				chr	GAR	GARY HSIEH JOSEPH HSIA		12/27/10 12/27/10		Α4			4 10033526 sheet						et			
					appd					JOSE			A4		10033320				2 of 2			
shee	et	revision																				
inde	:X	sheet																				
							DD	e. D.	NI				CTA:	THE.	DAI.	cage	code	D	.:	۸ . له		An 201

3

2

ACAD

STATUS:Released_ Printed: Aug 30, 2011

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

10033526-N3212LF 10033526-N3212MLF 10033526-N3222LF 10033526-N3222MLF