

## Cable tie - WT-STEEL S 7,9X1067 - 3240813

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable binders, made from rust-free stainless steel (AISI 304), suitable for harsh ambient conditions, with ball lock, for quick and secure bundling and fastening



### Key Commercial Data

|                                      |                |
|--------------------------------------|----------------|
| Packing unit                         | 1 pc           |
| Minimum order quantity               | 100 pc         |
| Weight per Piece (excluding packing) | 17.8 g         |
| Custom tariff number                 | 73269098       |
| Country of origin                    | United Kingdom |

### Technical data

#### Dimensions

|                         |         |
|-------------------------|---------|
| Length (b)              | 1067 mm |
| Width (a)               | 7.9 mm  |
| Max. material thickness | 0.25 mm |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -80 °C ... 538 °C |
|---------------------------------|-------------------|

#### General

|                |                                 |
|----------------|---------------------------------|
| Color          | silver                          |
| Type           | Steel strip                     |
| Components     | free from silicone and halogen  |
| Material       | Stainless steel 1.4301/AISI 304 |
| RoHS compliant | Yes                             |

#### Standards and Regulations

|                            |     |
|----------------------------|-----|
| Resistance to UV radiation | yes |
|----------------------------|-----|

## Cable tie - WT-STEEL S 7,9X1067 - 3240813

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140702 |
| eCl@ss 4.1 | 27140702 |
| eCl@ss 5.0 | 27140702 |
| eCl@ss 5.1 | 27140702 |
| eCl@ss 6.0 | 27140702 |
| eCl@ss 7.0 | 27140702 |
| eCl@ss 8.0 | 27140702 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000046 |
| ETIM 4.0 | EC000046 |
| ETIM 5.0 | EC000046 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 27121703 |
| UNSPSC 11     | 27121703 |
| UNSPSC 12.01  | 27121703 |
| UNSPSC 13.2   | 27121703 |

### Approvals

#### Approvals

Approvals

LR

Ex Approvals

Approvals submitted

#### Approval details

|    |
|----|
| LR |
|----|

## Cable tie - WT-STEEL S 7,9X1067 - 3240813

### Accessories

#### Accessories

#### Universal tools

Cable tie tool - UNIFOX-CT M 7,9 - 1212610



Cable binder pliers, for steel cable binders with a width of up to 7.9 mm, for a material thickness of up to 0.3 mm

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[3240813](#)