
-							0
	THIS DRAWING IS UNPUBLISHED).	RELEASED FOR PUBLI			— ,N/A .	
-	C COPYRIGHT N/A	BY TYCO ELECTRONICS	ALL RIGHTS RESERVED.				
	PART NO.	A	1	B		REMARKS	
	839564-1	12.00		.38	[9.7]		_
	839564-2	12.00	[304.8] [609.6]		<u>[9.7]</u> [9.7]		_
		24.00		.38	<u> </u>	5	_
	839564-3	4.50	[114.3]	.38	[9.7]	5	_
D	839564-4	6.50	[165.1]	.38	[9.7]	/5	
	839564-5	18.00	[457.2]		_		OBSOLETE
	839564-6	17.00	[431.8]	-		\wedge	OBSOLETE
	839564-7	15.00	[381.0]	.38	[9.7]	/5	_
	839564-8	60.00	[1524.0]	-		\wedge	
	839564-9	120.00	[3048.0]	.38	[9.7]		OBSOLETE
	1-839564-0	96.00	[2438.4]	.38	[9.7]	5	OBSOLETE
	1-839564-1	144.00	[3657.6]	.38	[9.7]		
	1-839564-2	300.00	[7620.0]	.38	[9.7]	5	OBSOLETE
-	1-839564-3	48.00	[1219.2]	.38	[9.7]	5	_
	1-839564-4	72.00	[1828.8]	.38	[9.7]	5	
	1-839564-5	1575.00	[40005.0]	.38	[9.7]	5	OBSOLETE
	1-839564-6	420.00	[10668.0]	.38	[9.7]	5	OBSOLETE
	1-839564-7	118.00	[2997.2]	.38	[9.7]	5	_
С	1-839564-8	6.00	[152.4]	.38	[9.7]	5	_
	1-839564-9	36.00	[914.4]	.38	[9.7]	5	_
	2-839564-0	240.00	[6096.0]	.38	[9.7]	5	_
	2-839564-1	394.00	[10007.6]	.38	[9.7]	5	
	2-839564-2	984.00	[24993.6]	.38	[9.7]	5	OBSOLETE
	2-839564-3	19.00	[482.6]	.38	[9.7]	5	OBSOLETE
	2-839564-4	10.00	[254.0]	.38	[9.7]	5	OBSOLETE
	2-839564-5	108.00	[2743.2]	.38	[9.7]	5	OBSOLETE
	2-839564-6	78.75	[2000.2]	.38	[9.7]	5	
	2-839564-7	35.00	[889.0]	.38	[9.7]	5	OBSOLETE
	2-839564-8	30.00	[762.0]	.38	[9.7]	5	OBSOLETE
	2-839564-9	18.00	[457.2]	.38	[9.7]	5	_
	3-839564-0	88.12	[2238.2]	.38	[9.7]	5	_
	3-839564-1	40.00	[1016.0]	.38	[9.7]	5	
	3-839564-2	600.00	[15240.0]	.38	[9.7]	5	OBSOLETE
	3-839564-3	157.50	[4000.5]	.38	[9.7]	5	
B	3-839564-4	196.88	[5000.8]	.38	[9.7]	5	
	3-839564-5	37.40	[950.0]	.38	[9.7]	5	OBSOLETE
	3-839564-6	16.00	[406.4]	.38	[9.7]	5	_
	3-839564-7	20.00	[508.0]	.38	[9.7]	5	_
	5-839564-1	12.00	[304.8]	.38	[9.7]	6	
	5-839564-2	24.00	[609.6]	.38	[9.7]	6	
	5-839564-7	15.00	[381.0]	.38	[9.7]	6	
	6-839564-3	48.00	[1219.2]	.38	[9.7]	6	
	6-839564-7	118.00	[2997.2]	.38	[9.7]	6	
-	6-839564-9	36.00	[914.4]	.38	[9.7]	6	
	7-839564-0	240.00	[6096.0]	.38	[9.7]	6	
	7-839564-1	394.00	[10007.6]	.38	[9.7]	6	
	7-839564-6	78.75	[2000.2]	.38	[9.7]	6	
	8-839564-0	88.12	[2238.2]	.38	[9.7]	6	
	8-839564-1	40.00	[1016.0]	.38	[9.7]	6	
	8-839564-3	157.50	[4000.5]	.38	[9.7]	6	
	8-839564-4	196.88	[5000.8]	.38	[9.7]	6	
						<u> </u>	_



А

AMP 1471-9 REV 31MAR2000

		C.C.THUMAS			Тусо				
			16-FEB-93		Electron	ics Harrisburg	, PA 17105-	-3608	
DIMENSIONS: TOLERANCES UNLESS		S.GLATFELTER	16-FEB-93	NAME					
INCHES [mm]	OTHERWISE SPECIFIED:	S.GLATFELTER	10-110-33	LEAD ASSY					
	0 PLC ± - 1 PLC ± -	PRODUCT SPEC			SINGLE END LGH-2				
$\oplus \square$	2 PLC ± .02 [0.5] 3 PLC ± .005 [0.13]	APPLICATION SPEC		-					
\rightarrow \neg	$\begin{array}{cccc} 4 & PLC & \pm & -\\ ANGLES & \pm & -\\ \end{array}$	_		SIZE	CAGE CODE	DRAWING NO			RESTRICTED TO
MATERIAL	FINISH SEE CALLOUTS	WEIGHT		A2	00779	C- 839564			—
SEE CALLOUTS	SEE CALLOUTS	CUSTOMER DF	RAWING			SCALE 1	:1 SHEET	1 OF	1 ^{REV} AC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 839564-2