

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0690280660

Status:

Active

Overview:

Application Tooling

Description:

Drag Spring

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Function

Geographic Area

Level of Automation

More Detailed Tech Information

Overview

Product Name

Tool Type

UPC

Warranty Disclaimer

Application Tooling

207126

Crimp

Global

Automatic, Semi-Automatic

applicationtooling@molex.com

Application Tooling

Mini-Mac

Applicator

800753916814

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight

0.320/g

Material Info



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/71/2019 (16 July 2019)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China RoHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

207126 Series

Use With

690281493

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp                                                                       | 2061104       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2061118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2061131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2061132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2061141</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <u>2061143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <u>2062101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2062103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2062131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2062132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2065100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065102</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065104</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <u>2065105</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max. |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                    |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Insulation Diameter,<br>Reel                                                                                                                                                                       |  |
|  | 1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |  |
|  | 1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |  |
|  | 1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |  |
|  | 1.57mm Diameter, <a href="#">2065148</a><br>Standard .062" Pin                                                                                                                                     |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2066100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <a href="#">2066101</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2066102</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <a href="#">2066103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <a href="#">2066104</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2066118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <a href="#">2066119</a><br>Standard .062" Pin<br>and Socket Crimp |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag 1.57mm Diameter, <u>2066122</u> Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag 1.57mm Diameter, <u>2066130</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066135</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066138</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2066139</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel 1.57mm Diameter, <u>2066144</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | (Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Bag<br>1.57mm Diameter, <u>2067103</u><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with 2.54µm Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Packaged<br>1.57mm Diameter, <u>2067104</u><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, Bag<br>Packaged<br>1.57mm Diameter, <u>2068103</u><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1778, Male, with Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>MLX Crimp Terminal <u>2082008</u><br>42023, 14-20 AWG,<br>Bag Selective Gold<br>(Au)<br>2.36mm Diameter, <u>2091102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2091104</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2091117</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <u>2091119</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                          |                         |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel                  | <a href="#">2091122</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag                   | <a href="#">2091123</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag                                                  | <a href="#">2091134</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain | <a href="#">2091155</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel                        | <a href="#">2091205</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag                         | <a href="#">2091206</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel    | <a href="#">2091615</a> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp                                                                                                                     | <a href="#">2092101</a> |

Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2092103](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, [2092116](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092117](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, without  
Dents, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092118](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2092133](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin/  
Lead (Sn/Pb) Plated  
Contact, With Detent,  
Bag Packaged  
2.36mm Diameter, [2092134](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin  
(Sn) Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2092166](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Reel Packaged  
2.36mm Diameter, [2092167](#)  
Standard .093" Pin

and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Bag Packaged  
2.36mm Diameter, [2092170](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Reel  
2.36mm Diameter, [2092171](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Bag  
2.36mm Diameter, [2092611](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
42478, Male, with Tin  
(Sn) Plated Contact,  
High Current/Low  
Engagement Force,  
14-18 AWG, Reel  
2.36mm Diameter, [2095100](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2095101](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Chain  
2.36mm Diameter, [2095102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2095106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096100</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <u>2096101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096106</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <u>2096110</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <u>2096123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <u>2096125</u><br>Standard .093" Pin |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2096126](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2096132](#)  
Standard .093"  
Pin and Socket  
PC Tail Terminal,  
Series 1376, Male,  
with Gold (Au)  
Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2098103](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, [2098104](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2098108](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Reel  
2.36mm Diameter, [2098109](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Bag  
Mini-Fit Jr. [3044052](#)  
Receptacle Housing,  
Single Row, 5  
Circuits, UL 94V-2,  
Natural  
1.57mm Diameter [3061011](#)  
Standard .062"  
Pin and Socket

|                                                                                                                                                                                  |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle Housing,<br>1 Circuits, Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                                                | <u>3061022</u> |
| Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                            | <u>3061023</u> |
| Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061031</u> |
| Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                      | <u>3061032</u> |
| Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061038</u> |
| Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                            | <u>3061041</u> |
| Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                      | <u>3061042</u> |
| Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061044</u> |
| Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket | <u>3061062</u> |
| Receptacle Housing,<br>6 Circuits, without                                                                                                                                       |                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061092</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061121</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3061122</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062011</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural<br>1.57mm Diameter <u>3062023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062024</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062031</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062032</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062033</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits, |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | with Standard Mounting Ears                                                                                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062042</u> |
|  | Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062061</u> |
|  | Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062092</u> |
|  | Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062121</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural                                      |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062122</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural                                            |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066023</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066062</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067023</u> |
|  | Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide                                          |                |

|                                                                                                                                                                  |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black | <u>3067061</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural                                               | <u>3091011</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural                       | <u>3091022</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091027</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091030</u> |
| Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                                            |                |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091031</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091032</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091033</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural | <u>3091041</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091042</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 |                |

|  |                                                                                                                                                                    |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural                           | <u>3091049</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091061</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091062</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp  | <u>3091063</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091064</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                   | <u>3091081</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091091</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp       | <u>3091092</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp | <u>3091093</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                                                                                | <u>3091094</u> |

|                                                                                                                                                             |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter<br>Standard .093"                                                                 | <u>3091121</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps<br>2.36mm Diameter<br>Standard .093"  | <u>3091125</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091126</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091151</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps<br>2.36mm Diameter<br>Standard .093" | <u>3091152</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"       | <u>3091153</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter<br>Standard .093"    | <u>3091157</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"          | <u>3091161</u> |
| Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter<br>Standard .093"                         | <u>3092011</u> |
| Pin and Socket Plug                                                                                                                                         |                |

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                          | <u>3092021</u> |
|  | Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug     | <u>3092022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug              | <u>3092031</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092041</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092042</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092049</u> |
|  | Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug | <u>3092061</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092062</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092092</u> |
|  | Housings, 9 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092121</u> |
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092122</u> |

|  |                                                                                                              |                |
|--|--------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                  | <u>3092151</u> |
|  | Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092159</u> |
|  | Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092161</u> |
|  | Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            |                |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                          | <u>3096021</u> |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097024</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Black                                                                    |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121022</u> |
|  | Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121026</u> |
|  | Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121036</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3121046</u><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <u>3122022</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <u>3122025</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122026</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122035</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122036</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                          |                |
|----------------------------------------------------------------------------------------------------------|----------------|
| Circuits, Natural<br>(Translucent)                                                                       |                |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121004</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Bag                                                                | <u>5121005</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121006</u> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                               | <u>5121008</u> |
| Crimp Terminal<br>6482, 14-18 AWG,<br>Reel                                                               | <u>5121104</u> |
| Flat Blade Appliance<br>Motor Switch Crimp<br>Housing, 10 Circuits                                       | <u>6021103</u> |
| Flat Blade Appliance<br>Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural                              | <u>6022030</u> |
| Flat Blade Appliance<br>Defrost Timer Crimp<br>Housing, 4 Circuit, 4<br>Circuits                         | <u>6023042</u> |
| Flat Blade Appliance<br>Motor Switch Crimp<br>Housing, 10 Circuit,<br>10 Circuits                        | <u>6023103</u> |
| Flat Blade Appliance<br>Dryer Motor Crimp<br>Housing, 10 Circuit                                         | <u>6023104</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel | <u>8500030</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel                                | <u>8500031</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag                                 | <u>8500032</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass Tin<br>(Sn)                                      | <u>8500106</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                                      | <u>8500113</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                                 | <u>8500114</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                                        | <u>8500135</u> |

|                        |                |
|------------------------|----------------|
| KK 254 Crimp           | <u>8500136</u> |
| Terminal 4809, 22-30   |                |
| AWG, Tin, Bag          |                |
| KK 254 Crimp           | <u>8500159</u> |
| Terminal, 22-30        |                |
| AWG, Reel, Tin (Sn)    |                |
| Plating, Nickel (Ni)   |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8500160</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Tin (Sn)     |                |
| Plating, Nickel (Ni)   |                |
| Under Plating          |                |
| KK 100 Crp Term        | <u>8510101</u> |
| Std 22-30 Awg Unplt    |                |
| KK 254 Crimp           | <u>8510108</u> |
| Terminal, 22-30        |                |
| AWG, Reel, Tin (Sn),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 396 Crimp           | <u>8520072</u> |
| Terminal 2478,         |                |
| 18-24 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| Tin (Sn)               |                |
| KK 254 Crimp           | <u>8520101</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Reel,       |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK Trifurcon Crimp     | <u>8520112</u> |
| Terminal 6838,         |                |
| 18-20 AWG, Reel,       |                |
| Phosphor Bronze        |                |
| Tin(Sn)                |                |
| KK Trifurcon Crimp     | <u>8520113</u> |
| Terminal 6838,         |                |
| 18-20 AWG, Bag,        |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK .100 CRIMP          | <u>8520118</u> |
| TERMINAL 100MI         |                |
| MATTE TIN              |                |
| KK 254 Crimp           | <u>8520123</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Bag,        |                |
| Phosphor Bronze Tin    |                |
| (Sn)                   |                |
| KK 254 Crimp           | <u>8550101</u> |
| Terminal, 22-30        |                |
| AWG, Reel,             |                |
| Selective Gold (Au),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 254 Crimp           | <u>8550102</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Selective    |                |
| Gold (Au), Nickel (Ni) |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8550110</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Reel             |                |
| KK 254 Crimp           | <u>8550111</u> |
| Terminal 4809, 22-30   |                |

|                                                                             |                |
|-----------------------------------------------------------------------------|----------------|
| AWG, Selective Gold (Au), Bag                                               |                |
| KK 254 Cat Ear                                                              | <u>8550112</u> |
| Crimp Terminal                                                              |                |
| 4809, 22-30 AWG, Selective Gold, Reel                                       |                |
| KK 254 Crimp                                                                | <u>8550130</u> |
| Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating   |                |
| KK 254 Crimp                                                                | <u>8550131</u> |
| Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating    |                |
| KK 254 Crimp                                                                | <u>8560109</u> |
| Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating             |                |
| KK 254 Crimp                                                                | <u>8560110</u> |
| Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating              |                |
| KK 254 Crimp                                                                | <u>8560115</u> |
| Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag                          |                |
| KK 254 Crimp                                                                | <u>8560120</u> |
| Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel                         |                |
| KK 396 Crimp                                                                | <u>8650116</u> |
| Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) |                |
| KK Trifurcon Crimp                                                          | <u>8650122</u> |
| Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)          |                |
| KK 100 Crp Term                                                             | <u>8650801</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 100 Crp Term                                                             | <u>8650811</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 100 Crp Term                                                             | <u>8650812</u> |
| Std 22-30 Awg SGold                                                         |                |
| KK 254 Crimp                                                                | <u>8650813</u> |
| Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)                   |                |
| KK 254 Crimp                                                                | <u>8650814</u> |
| Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)                    |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                              | <u>8650815</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                               | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                                 | <u>8650817</u> |
| 3.96 and 5.08mm<br>Pitch KK Cat Ear<br>Crimp Terminal,<br>Female, 18-24 AWG,<br>Reel                                                      | <u>8700012</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits                                     | <u>9481104</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                   | <u>9481105</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                 | <u>9483024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                  | <u>9483025</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                    | <u>9483026</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483104</u> |
| KK 396 PC Board<br>Connector, Right-<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483105</u> |

|                        |                |
|------------------------|----------------|
| KK 396 PC Board        | <u>9483106</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9484028</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484029</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484039</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9484099</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 9 Circuits   |                |
| KK 396 PC Board        | <u>9484108</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9484109</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9484118</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 11 Circuits  |                |
| KK 396 PC Board        | <u>9484149</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 14 Circuits  |                |
| 3.96mm Pitch SPOX      | <u>9501021</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp, 2 Circuits,      |                |
| Natural                |                |
| 3.96mm Pitch SPOX      | <u>9501023</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp and Void, 2       |                |
| Circuits, Natural      |                |
| 3.96mm Pitch SPOX      | <u>9501031</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp, 3 Circuits,      |                |
| Natural                |                |
| 3.96mm Pitch SPOX      | <u>9501033</u> |
| Crimp Housing,         |                |
| Female, with Friction  |                |
| Ramp and Void, 3       |                |
| Circuits, Natural      |                |

3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural

3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural

3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural

3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural

3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural

3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural

3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural

3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural

3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural

|  |                                                                                                                                |
|--|--------------------------------------------------------------------------------------------------------------------------------|
|  | 3.96mm Pitch SPOX <a href="#">9501111</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 11 Circuits,<br>Natural          |
|  | 3.96mm Pitch SPOX <a href="#">9501113</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural |
|  | 3.96mm Pitch SPOX <a href="#">9501121</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural          |
|  | KK 3.96mm Crimp <a href="#">9503021</a><br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503031</a><br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503041</a><br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503051</a><br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503061</a><br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503071</a><br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503081</a><br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503091</a><br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503101</a><br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural                         |
|  | KK 3.96mm Crimp <a href="#">9503111</a><br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural                         |
|  | KK 3.96mm Crimp <a href="#">9503121</a><br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural                         |
|  | KK 3.96mm Crimp <a href="#">9503131</a><br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural                         |
|  | KK 3.96mm Crimp <a href="#">9503141</a><br>Terminal Housing,                                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Friction Ramp, 14<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 16<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 17<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 18<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 19<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 20<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 21<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 22<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 23<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 2<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 3<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 4<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 5<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 6<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 7<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 8<br>Circuits, Natural | <a href="#"><u>9503151</u></a><br><br><a href="#"><u>9503161</u></a><br><br><a href="#"><u>9503171</u></a><br><br><a href="#"><u>9503181</u></a><br><br><a href="#"><u>9503191</u></a><br><br><a href="#"><u>9503201</u></a><br><br><a href="#"><u>9503211</u></a><br><br><a href="#"><u>9503221</u></a><br><br><a href="#"><u>9503231</u></a><br><br><a href="#"><u>9503241</u></a><br><br><a href="#"><u>9507021</u></a><br><br><a href="#"><u>9507031</u></a><br><br><a href="#"><u>9507041</u></a><br><br><a href="#"><u>9507051</u></a><br><br><a href="#"><u>9507061</u></a><br><br><a href="#"><u>9507071</u></a><br><br><a href="#"><u>9507081</u></a> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507111</u> |
| Terminal Housing, 11 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507131</u> |
| Terminal Housing, 13 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507141</u> |
| Terminal Housing, 14 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507151</u> |
| Terminal Housing, 15 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507161</u> |
| Terminal Housing, 16 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507171</u> |
| Terminal Housing, 17 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507221</u> |
| Terminal Housing, 22 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508023</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508041</u> |
| Terminal Housing,    |                |
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508043</u> |
| Terminal Housing,    |                |

|                                                                                                                                                                                              |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Friction Ramp, 4<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing, 10                            | <u>9508093</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                             | <u>9508100</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                             | <u>9508101</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10                             | <u>9508103</u> |
| Circuits, Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 2 Circuits,<br>Natural | <u>9508141</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 2 Circuits,<br>Natural                                                                                                        | <u>9524024</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 3 Circuits,<br>Natural                                                                                                        | <u>9524034</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 3 Circuits,<br>Natural                                                                                                        | <u>9524044</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 4 Circuits,<br>Natural                                                                                                        | <u>9524044</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 4 Circuits,<br>Natural                                                                                                        | <u>9524054</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 5 Circuits,<br>Natural                                                                                                        | <u>9524064</u> |
| 3.96mm Pitch KK<br>Crimp Housing,<br>Female, Friction<br>Ramp, 6 Circuits,<br>Natural                                                                                                        | <u>9524064</u> |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits                                                                                                   | <u>9652028</u> |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 2 Circuits                                                                                        | <u>9652029</u> |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits                                                                                                   | <u>9652038</u> |
| SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical, with                                                                                                                                   | <u>9652039</u> |

|  |                                                                                                           |                |
|--|-----------------------------------------------------------------------------------------------------------|----------------|
|  | Friction Lock, with<br>Void, 3 Circuits<br>SPOX and KK                                                    | <u>9652048</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits<br>SPOX and KK                | <u>9652049</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 4 Circuits<br>SPOX and KK     | <u>9652058</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits<br>SPOX and KK                | <u>9652068</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits<br>SPOX and KK                | <u>9652069</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 6 Circuits<br>SPOX and KK     | <u>9652078</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits<br>SPOX and KK                | <u>9652079</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 7 Circuits<br>SPOX and KK     | <u>9652088</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits<br>SPOX and KK                | <u>9652089</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 8 Circuits<br>KK 3.96mm Crimp | <u>9930200</u> |
|  | Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930300</u> |
|  | Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930400</u> |
|  | Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930500</u> |
|  | Terminal Housing,<br>Friction Ramp, 5                                                                     |                |

|  |                                                     |                 |
|--|-----------------------------------------------------|-----------------|
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6  | <u>9930600</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7  | <u>9930700</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8  | <u>9930800</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9  | <u>9930900</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 | <u>9931000</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 | <u>9931100</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 | <u>9931200</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 | <u>9931300</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 | <u>9931400</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 | <u>9931500</u>  |
|  | Circuits, Glow-Wire Capable                         |                 |
|  | 15 PIN MICRO-D FEMAL ASSY                           | <u>10008503</u> |
|  | M8351309B11                                         |                 |
|  | 15/C METALSHELL RECEPT.WIRED                        | <u>10008637</u> |
|  | 15/C METAL SHELL PLUG WIRED                         | <u>10008638</u> |
|  | 25/C RECEPT. HARNESS ASSY                           | <u>10008645</u> |
|  | 37/C RECEPT. HARNESS ASSY                           | <u>10008647</u> |

|                       |                 |
|-----------------------|-----------------|
| STAT. 3CKT            | <u>10008653</u> |
| RECEP. PIN 1/4 IN 1   |                 |
| FT                    |                 |
| R/A 3CKT PLUG         | <u>10008654</u> |
| SOC. INSERT PUR       |                 |
| 12 FEET               |                 |
| 15/C M SHELL          | <u>10008655</u> |
| RECEPT. WIRED         |                 |
| 72.0                  |                 |
| 5.08mm Pitch KK       | <u>10011024</u> |
| Crimp Terminal        |                 |
| Housing, 2 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011034</u> |
| Crimp Terminal        |                 |
| Housing, 3 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011044</u> |
| Crimp Terminal        |                 |
| Housing, 4 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011054</u> |
| Crimp Terminal        |                 |
| Housing, 5 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011064</u> |
| Crimp Terminal        |                 |
| Housing, 6 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011074</u> |
| Crimp Terminal        |                 |
| Housing, 7 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011084</u> |
| Crimp Terminal        |                 |
| Housing, 8 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011094</u> |
| Crimp Terminal        |                 |
| Housing, 9 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011104</u> |
| Crimp Terminal        |                 |
| Housing, 10 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011114</u> |
| Crimp Terminal        |                 |
| Housing, 11 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch KK       | <u>10011124</u> |
| Crimp Terminal        |                 |
| Housing, 12 Circuits, |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013026</u> |
| Crimp Terminal        |                 |
| Housing, 2 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013036</u> |
| Crimp Terminal        |                 |
| Housing, 3 Circuits,  |                 |
| Natural               |                 |
| 5.08mm Pitch SPOX     | <u>10013046</u> |
| Crimp Terminal        |                 |
| Housing, 4 Circuits,  |                 |
| Natural               |                 |

|  |                                                                                                                      |
|--|----------------------------------------------------------------------------------------------------------------------|
|  | 5.08mm Pitch SPOX <a href="#">10013056</a><br>Crimp Terminal<br>Housing, 5 Circuits,<br>Natural                      |
|  | 5.08mm Pitch SPOX <a href="#">10013066</a><br>Crimp Terminal<br>Housing, 6 Circuits,<br>Natural                      |
|  | 5.08mm Pitch SPOX <a href="#">10013076</a><br>Crimp Terminal<br>Housing, 7 Circuits,<br>Natural                      |
|  | 5.08mm Pitch SPOX <a href="#">10013086</a><br>Crimp Terminal<br>Housing, 8 Circuits,<br>Natural                      |
|  | 5.08mm Pitch SPOX <a href="#">10013096</a><br>Crimp Terminal<br>Housing, 9 Circuits,<br>Natural                      |
|  | KK PC Board <a href="#">10021022</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 2<br>Circuits  |
|  | KK PC Board <a href="#">10021032</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 3<br>Circuits  |
|  | KK PC Board <a href="#">10021042</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 4<br>Circuits  |
|  | KK PC Board <a href="#">10021052</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 5<br>Circuits  |
|  | KK PC Board <a href="#">10021062</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 6<br>Circuits  |
|  | KK PC Board <a href="#">10021072</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 7<br>Circuits  |
|  | KK PC Board <a href="#">10021082</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 8<br>Circuits  |
|  | KK PC Board <a href="#">10021092</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 9<br>Circuits  |
|  | KK PC Board <a href="#">10021102</a><br>Connector, Bottom<br>Entry Mount Style B,<br>1.00µm Tin (Sn), 10<br>Circuits |

|                      |                 |
|----------------------|-----------------|
| KK PC Board          | <u>10021112</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 11  |                 |
| Circuits             |                 |
| KK PC Board          | <u>10021122</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 12  |                 |
| Circuits             |                 |
| 5.08mm Pitch KK      | <u>10061045</u> |
| Header, Right        |                 |
| Angle, Square Pin,   |                 |
| 4 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Right     | <u>10061055</u> |
| Angle, Square Pin,   |                 |
| 5 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Vertical, | <u>10081021</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081022</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 23.80mm              |                 |
| KK Header, Vertical, | <u>10081029</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081031</u> |
| Round Pin, 3         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081039</u> |
| Round Pin, 3         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081041</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081049</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081051</u> |
| Round Pin, 5         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081061</u> |
| Round Pin, 6         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |

KK Header, Vertical, [10081069](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081071](#)  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081081](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081082](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081089](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081091](#)  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081101](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081102](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081111](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081112](#)  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081121](#)  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10085021](#)  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085031](#)  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, [10085041](#)  
with Polarizing

Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085051  
with Polarizing  
Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085061  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085071  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085081  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085091  
with Polarizing  
Backwall, 9 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085101  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085111  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085121  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board 10101021  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board 10101023  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board 10101031  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board 10101033  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board 10101041  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 4  
Circuits  
KK PC Board 10101043  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 4  
Circuits

|                                                                    |                                 |
|--------------------------------------------------------------------|---------------------------------|
| KK PC Board                                                        | <a href="#"><u>10101051</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 5 Circuits  |                                 |
| KK PC Board                                                        | <a href="#"><u>10101053</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 5 Circuits    |                                 |
| KK PC Board                                                        | <a href="#"><u>10101061</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 6 Circuits  |                                 |
| KK PC Board                                                        | <a href="#"><u>10101063</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 6 Circuits    |                                 |
| KK PC Board                                                        | <a href="#"><u>10101071</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 7 Circuits  |                                 |
| KK PC Board                                                        | <a href="#"><u>10101073</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 7 Circuits    |                                 |
| KK PC Board                                                        | <a href="#"><u>10101081</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 8 Circuits  |                                 |
| KK PC Board                                                        | <a href="#"><u>10101083</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 8 Circuits    |                                 |
| KK PC Board                                                        | <a href="#"><u>10101091</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits  |                                 |
| KK PC Board                                                        | <a href="#"><u>10101093</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits    |                                 |
| KK PC Board                                                        | <a href="#"><u>10101101</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits |                                 |
| KK PC Board                                                        | <a href="#"><u>10101103</u></a> |
| Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits   |                                 |
| KK PC Board                                                        | <a href="#"><u>10101111</u></a> |
| Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits |                                 |

|  |                                                                                             |                 |
|--|---------------------------------------------------------------------------------------------|-----------------|
|  | KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits    | <u>10101113</u> |
|  | KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 12<br>Circuits | <u>10101121</u> |
|  | KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 12<br>Circuits    | <u>10101123</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 2 Circuits,<br>Natural                           | <u>10112023</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 3 Circuits,<br>Natural                           | <u>10112033</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 4 Circuits,<br>Natural                           | <u>10112043</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 5 Circuits,<br>Natural                           | <u>10112053</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 6 Circuits,<br>Natural                           | <u>10112063</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 7 Circuits,<br>Natural                           | <u>10112073</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 8 Circuits,<br>Natural                           | <u>10112083</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 9 Circuits,<br>Natural                           | <u>10112093</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 10<br>Circuits, Natural                          | <u>10112103</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 11 Circuit                                       | <u>10112113</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 12<br>Circuits, Natural                          | <u>10112123</u> |
|  | KK 254 Crimp<br>Housing, High<br>Pressure, 13<br>Circuits, Natural                          | <u>10112133</u> |
|  | KK 254 Crimp<br>Housing, High                                                               | <u>10112143</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Pressure, 14<br>Circuits, Natural<br>KK 254 Crimp <u>10112153</u><br>Housing, High<br>Pressure, 15<br>Circuits, Natural<br>KK 254 Crimp <u>10112163</u><br>Housing, High<br>Pressure, 16<br>Circuits, Natural<br>KK 254 Crimp <u>10112173</u><br>Housing, High<br>Pressure, 17<br>Circuits, Natural<br>KK 254 Crimp <u>10112183</u><br>Housing, High<br>Pressure, 18<br>Circuits, Natural<br>2.36mm Diameter <u>10181031</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Male Terminals<br>2.36mm Diameter <u>10181032</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Male Terminals<br>2.36mm Diameter <u>10181033</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 2<br>Male Terminals<br>2.36mm Diameter <u>10181034</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 2<br>Male Terminals<br>2.36mm Diameter <u>10181035</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Male Terminals, 1<br>Female Terminal<br>2.36mm Diameter <u>10181036</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter <u>10181037</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Female Terminals,<br>1 Male Terminal<br>2.36mm Diameter <u>10181038</u><br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Female Terminals<br>2.36mm Diameter <u>10181040</u><br>Standard .093" Pin |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter                                                                                        | <u>10181041</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Male Terminals<br>2.36mm Diameter                                                                                       | <u>10181042</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Female Terminals<br>2.36mm Diameter                                                                                     | <u>10181043</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter                                                                 | <u>10181044</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Female Terminals,<br>1 Male Terminals<br>2.36mm Diameter                                                                | <u>10181045</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Male Terminals, 2<br>Female Terminals<br>2.36mm Diameter                                                                | <u>10181046</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Male Terminals, 1<br>Female Terminal<br>2.36mm Diameter                                                                 | <u>10181047</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter                                                                 | <u>10181048</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal,<br>2 Male Terminals, 1<br>Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter                       | <u>10181049</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>1 Male Terminal, 1<br>Female Terminal,<br>1 Male Terminal, 1<br>Female Terminal<br>2.36mm Diameter | <u>10181050</u> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,                                                                                                                              |                 |

2 Female Terminals,  
2 Male Terminals  
2.36mm Diameter 10181090  
Standard .093" Pin  
and Socket Header,  
Shrouded, 9 Circuits,  
9 Male Terminals  
2.36mm Diameter 10181091  
Standard .093" Pin  
and Socket Header,  
3 Rows, Shrouded,  
Unfilled Polyester,  
UL 94V-0, 9 Circuits,  
9 Female Terminals  
2.36mm Diameter 10181120  
Standard .093"  
Pin and Socket  
Header, Shrouded,  
12 Circuits, 12 Male  
Terminals  
2.36mm Diameter 10181122  
Standard .093"  
Pin and Socket  
Header, 3 Rows,  
Shrouded, Unfilled  
Polyester, UL 94V-0,  
12 Circuits, 12  
Female Terminals  
2.36mm Diameter 10181150  
Standard .093"  
Pin and Socket  
Header, Shrouded,  
15 Circuits, 15 Male  
Terminals  
5.08mm Pitch SPOX 10221022  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 2  
Circuits  
2.50mm Pitch KK 10302031  
Crimp Terminal  
Housing, 3 Circuits  
5.00/7.50mm Pitch 10311028  
SPOX Header,  
Vertical, with Friction  
Lock, 2 Circuits  
5.00/7.50mm Pitch 10311038  
SPOX Header,  
Vertical, with Friction  
Lock, 3 Circuits  
5.00/7.50mm Pitch 10311048  
SPOX Header,  
Vertical, with Friction  
Lock, 4 Circuits  
5.00/7.50mm Pitch 10311058  
SPOX Header,  
Vertical, with Friction  
Lock, 5 Circuits  
5.00/7.50mm Pitch 10311068  
SPOX Header,  
Vertical, with Friction  
Lock, 6 Circuits

This document was generated on 09/17/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

69028-0660