






4 CIRCUIT SHOWN



1. MATERIAL: SEE TABLE
2. FINISH: SEE TABLE
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS.
4. ASSEMBLY IS ROHS COMPLIANT.

INITIAL RELEASE EC NO: ET2007-0180 DRAWN: CLYORK 2006/11/20 CHKD: JMACNEIL 2006/11/21 APPR: JMACNEIL 2006/11/22	DESCRIPTION	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
					MM/IN		2:1	INCH			
				mm	INCH	DRAWN BY	DATE	TITLE			
							C. YORK	2006/11/08	8.26MM [.325] SR BTS, CS PC WITH MTG.		
							J. MACNEIL	2006/11/08			
A	REV		4 PLACES ± --- ± ---		CHECKED BY		DATE	MOLEX MOLEX INCORPORATED			
			3 PLACES ± --- ± .005		J. MACNEIL		2006/11/08				
			2 PLACES ± 0.13 ± .01		APPROVED BY		DATE	DOCUMENT NO.		SHEET NO.	
			1 PLACE ± 0.3 ± ---		J. MACNEIL		2006/11/08				
			ANGULAR ± 2 °		MATERIAL NO.		SEE SHT. 2		SD-38704-003		1 OF 2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

38704-4805