
Product data sheet Characteristics

ZCKE62

limit switch head ZCKE - steel roller plunger



Main	
Range of product	OsiSense XC
Series name	Special format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ11 ZCKJ11H29 ZCKJ1H7 ZCKJ1H29 ZCKJ1H7 ZCKJ2 ZCKJ21 ZCKJ21 ZCKJ21H7 ZCKJ2H29 ZCKJ2H7 ZCKJ2H29 ZCKJ4H7 ZCKJ44 ZCKJ41 ZCKJ41 ZCKJ41 ZCKJ41 ZCKJ41P29 ZCKJ4H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ5H7 ZCKJ6 ZCKJ5H7 ZCKJ6 ZCKJ6H7 ZCKJ7 ZCKJ7 ZCKJ7 ZCKJ7H29 ZCKJ7H29 ZCKJ7H29 ZCKJNH7 ZCKJ8 ZCKJ8H7 ZCKJ8 ZCKJ8H7 ZCKJB ZCKJ8H7 ZCKJB ZCKJB11 ZCKJD31 ZCKJD31 ZCKJD31 ZCKJD31 ZCKJD35H29 ZCKJD35H7 ZCKJD35 ZCKJD35H7 ZCKJD37 ZCKJD37 ZCKJD37 ZCKJD37 ZCKJD37 ZCKJD37H7 ZCKJD39 ZCKJD37H7 ZCKJD39 ZCKJD39H29 ZCKJD39H29
Movement of operating	ZCKJD39H7 Linear
head	
Type of operator	Metal spring return roller plunger
Type of approach	2 directions lateral approach

Positive opening

With

Complementary

Complementary	
Switch actuation	By 30° cam
Environment	
LIMIOIIIIEIIL	
Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment
RoHS EUR conformity date	4Q2009
RoHS EUR status	Will be compliant



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: ZCKE62