





(SCALE 4:1)



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	-		SEE SHEET 1	-	-	-


PCB LAYOUT -Soldering side-

(SCALE 4:1)



CONNECTION LAYOUT

E.G P/N 0-284865-4
(SCALE 4:1)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. FABRIS	03JUL2002	 TE Connectivity			
DIMENSIONS:		CHK -	-				
	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME DUOPLUG 2.5 FEMALE CONN., SIDE LOCKING KEYED (FULLY LOADED)			
	0 PLC ± ± ± ± 1 PLC ± ± ± ± 2 PLC ± ± ± ± 3 PLC ± ± ± ± 4 PLC ± ± ± ± ANGLES ±°	APVD G. TURCO PRODUCT SPEC 108-20238 APPLICATION SPEC 114-18049-1					
	MATERIAL SEE TABLE	FINISH SEE TABLE	SIZE A1	CAGE CODE 00779	DRAWING NO. C=284865	RESTRICTED TO -	
			Customer Drawing		SCALE 10:1	SHEET 1 of 4	REV A20

(SCALE 4:1)

C4805 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-284865-6](#)