





# 426P13 10/100 BASE-T CIRCUIT<sup>△2</sup><sub>3</sub>







C1 = 1000pF, 2KV, CAPACITOR  
R1 - R4 = 75 ohms, RESISTOR

SINGLE COLOR LED



BI-COLOR LED



|   |  |   |   |                    |
|---|--|---|---|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                            |  | DWN<br>TOMMY REN<br>18AUG2006           |  <b>trp</b> CONNECTOR<br>a bel group | DONGGUAN<br>CHINA  |
| DIMENSIONS:<br>mm   |  | CHK<br>KEITH ZHU<br>18AUG2006           |   |                    |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                         |  | APVD<br>TEDDY XIONG<br>18AUG2006        |   |                    |
| PRODUCT SPEC<br>108-2100  |  | MODEL NAME<br>MAGJACK<br>SINGLE NON-POE |   |                    |
| DESC<br>IXI, MAGJACK, VERTICAL<br>426P13, 10/100 CIRCUIT, W/ LEDS |  | SIZE<br>A2                              | CAGE CODE<br>C-1840419  | RESTRICTED TO<br>- |
| CUSTOMER DRAWING  |  | SCALE<br>4:1                            | SHEET<br>2  | REV<br>G           |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Bel:

[1840419-2](#) [1840419-4](#) [1840419-3](#)