

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION JUL 15, 1998 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

PART NUMBER	REV	FIRST USED	USED ON
687716-2	F	565435-5	MINI-APPL

APPLICATOR PARTS LIST				TYPE	END FEED			
NO.	DESCRIPTION	REQ.	PART NO.	NO.	DESCRIPTION	REQ.	PART NO.	CRIMPING DATA
1	CRIMPER, CROWN	1	693076-1	42	WASHER, RAM	1	690124-1	TO APPLY TERMINAL
2	SPACER, INSULATION	-	-	43	WASHER, LAMINATED	1	690125-1	CROWN CRIMP
3	INSULATION CRIMPER	-	-	44	RAM	1	693082-1	PAD LTR
4	PIN, SEPARATING	1	693077-1	45	PLUG, NYLON	1	690191-1	CRIMP HEIGHT
5	SHEAR BLADE SPACER	1	6-240641-6	46	BLOCK, INSULATION ADJ	-	-	WIRE SIZE
6	HOLD DOWN	-	-	47	SCREW, SHOULDER	-	-	
7	SHEAR BLADE	1	240651-8	48	CAM	1	690602-2	
8	ANVIL	1	693078-1	49	CRIMPER BOLT	1	7-21002-9	
9	FRONT SHEAR PLATE	1	693080-1	50	-	-	-	
10	SHEAR PLATE SPACER	2	1-240645-1	51	-	-	-	
11	REAR SHEAR PLATE	1	240833-2	52	LEVER, TERMINAL	1	240634-1	
12	HOLDER, ANVIL	1	693079-1	53	FEED FINGER	1	240635-1	
13	SPRING, SPACER	-	-	54	FEED FINGER SPRING	1	691499-1	
14	HOLD DOWN SPACER	-	-	55	FEED FINGER PIN	1	240624-1	
15	-	-	-	56	-	-	-	
16	SPRING, FEED RETURN	1	3-22287-0	57	-	-	-	
17	ANCHOR, SPRING	1	238008-1	58	HOUSING	1	240619-1	
18	FRONT, STRIP GUIDE	1	454204-3	59	CAP	1	240621-1	
19	REAR, STRIP GUIDE	1	454204-3	60	WEAR PLATE	1	240845-1	
20	DRAG, STOCK	1	240637-1	61	ROD, FEED	1	240631-1	
21	DRAG LEVER	1	240636-1	62	ROLLER, CAM	1	240658-1	
22	DRAG SPRING	1	7-22282-5	63	PIN, CAM ROLLER	1	240659-1	
23	PLATE, STRIP HOLD	1	240825-4	64	SCREW, ADJUSTABLE	1	240632-1	
24	STRIP GUIDE PLATE	1	240648-1	65	BLOCK, PIVOT	1	240629-1	
25	BASE BLOCK	1	240647-1	66	LEVER, INTERMEDIATE	1	240630-1	
26	BASE PLATE	1	693081-1	67	BUSHING	1	240633-1	
27	STRIPPER	-	-	68	SHAFT, PIVOT	1	240626-1	
28	RETAINING PLATE	-	-	69	PLATE ADJ	1	240628-1	
29	SHOULDER SCREW	-	-	70	HEX NUT	1	22594-8	
30	ANCHOR, SPACER	1	690453-1	71	SPACER	1	690517-1	
31	SPACER, BASE BLOCK	1	690408-1	72	SPRING ASSIST	1	690603-1	
32	-	-	-	73	WASHER, ADJ PLATE	1	458109-1	
33	-	-	-	78	PLATE, ADAPTER	1	458653-1	
34	-	-	-	79	GUARD	REF	455745-1	
35	POST, RAM	1	690212-1					
36	SPRING WASHER	1	22480-5					
37	DISC, WIRE	1	7-690692-1					
38	DISC, INSULATION	-	-					
39	SPRING, COMPRESSION	1	690170-1					
40	BALL, STEEL	1	23241-6					
41	DISC SPACER	1	690223-1					

LOC	A	DIST	66	AMP 1756 REV 3-92	7	6	5	4	FINISH	-	DWN	7-12-92	MATERIAL	-	HEAT TREAT	-	
									DIMENSIONS	IN	CHK	7-16-92	L.KENSINGER				
											APVD	7-30-92	B.WOLFE				
											NAME	END FEED HDM APPLICATOR					
											SCALE	SIZE	DRAWING NO	SHEET	OF	REV	
											-	A3	687716-2	1	2	F1	
											CAGE CODE	CUSTOMER AND ASSEMBLY DRAWING					RESTRICTED TO
											00779						-

THIS DRAWING IS A CONTROLLED DOCUMENT

DWG NO

687716-2

JUL 31, 1998

RELEASED FOR PUBLICATION

THIS DRAWING IS UNPUBLISHED.

BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

© COPYRIGHT 1998

APPLICATOR PARTS LIST

HARDWARE

BOLT, NUT, SCREW
WASHER, ETC.

NO.	DESCRIPTION	SIZE	LENGTH	REQ.	PART NO.	NO.	DESCRIPTION	SIZE	LENGTH	REQ.	PART NO.
101	4 SCREW, SHC	10-32	.50	2	3-21000-5	143	PIN, SLOTTED SPRING	Ø 1/8	.50	2	5-21028-1
102	SCREW, SHC	10-32	1.25	1	4-21000-0	144	5 PIN, SLOTTED SPRING	Ø 1/8	.25	1	9-21028-0
103	SCREW, SHC	10-32	1.50	1	4-21000-1	145	-	-	-	-	-
104	SCREW, SHC	10-32	.62	2	3-21000-6	146	-	-	-	-	-
105	SCREW, SHC	10-32	1.00	1	3-21000-9	147	SCREW, SOC HD SHLDR	Ø 1/4	1.00	1	21004-5
106	-	-	-	-	-	148	SCREW, SOC HD SHLDR	Ø 1/4	.25	1	5-21004-7
107	SCREW, SHC	10-32	1.00	2	3-21000-9	149	-	-	-	-	-
108	-	-	-	-	-	150	-	-	-	-	-
109	SCREW, SHC	8-32	.75	1	2-21000-9	151	WASHER, FLAT	#6	-	1	22260-5
110	SCREW, SHC	8-32	.75	2	2-21000-9	152	-	-	-	-	-
111	SCREW, SHC	8-32	.38	2	2-21000-6	153	-	-	-	-	-
112	SCREW, SHC	8-32	.62	2	2-21000-8	154	-	-	-	-	-
113	-	-	-	-	-	155	C-RING, RETAINING	Ø 3/16	-	2	21045-3
114	SCREW, RD HD MACH	6-32	1.50	1	3-21064-2	156	-	-	-	-	-
115	-	-	-	-	-	157	-	-	-	-	-
116	SCREW, BHC	1/4-20	.75	2	3-21002-5	158	SCREW, SOC SET	10-32	.25	1	5-21008-0
117	SCREW, BHC	1/4-20	.50	4	3-21002-3	159	SCREW, SOC SET	8-32	.38	1	4-21008-2
118	SCREW, BHC	10-32	.25	2	2-21002-5	160	-	-	-	-	-
119	SCREW, BHC	10-32	1.25	2	9-21002-0	161	-	-	-	-	-
120	-	-	-	-	-	162	-	-	-	-	-
121	-	-	-	-	-	163	-	-	-	-	-
122	SCREW, SOC SET	6-32	.25	1	3-23657-8	164	-	-	-	-	-
123	SCREW, SOC SET	1/4-20	.25	1	21009-2	165	-	-	-	-	-
124	SCREW, SHC	10-32	.38	1	3-21000-4	APPLICATOR ONLY TO INCLUDE					
125	-	-	-	-	-	-	-	-	-	-	-
126	NUT, HEX	10-32	-	1	21018-7	-	-	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-
128	NUT, HEX	6-32	-	1	21068-5	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-
130	WASHER, LOCK	#10	-	4	21024-5	-	-	-	-	-	-
131	WASHER, LOCK	#10	-	2	21024-5						
132	WASHER, LOCK	#8	-	2	21024-4						
133	WASHER, LOCK	#8	-	5	21024-4						
134	-	-	-	-	-						
135	-	-	-	-	-						
136	4 WASHER, LOCK	#10	-	2	21024-5						
137	-	-	-	-	-						
138	-	-	-	-	-						
139	PIN, DOWEL	Ø 3/16	1.50	1	1-21030-7						
140	PIN, DOWEL	Ø 3/16	.50	1	1-21030-1						
141	-	-	-	-	-						
142	6 PIN, SLOTTED SPRING	Ø 1/16	.25	REF	21028-2						

LOC
A
DIST
66

P	LTR	SEE SHEET 1	-	-	-
REVISION RECORD			DATE	DWN	APVD

FINISH	-	DWN	7-12-92	MATERIAL	-	HEAT TREAT	-
	-				-		-
DIMENSIONS, IN		CHK	7-16-92	LEX KENSINGER			
		APVD	7-30-92	B. WOLFE			
		NAME		END FEED HDM APPLICATOR			
		SCALE		SIZE	A3	DRAWING NO	687716-2
				SHEET	2	OF	2
				REV	F1		
ANGLES±	-	CUSTOMER AND ASSEMBLY DRAWING					
SURFACE TEXTURE	✓	RESTRICTED TO					
		CAGE CODE	00779				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[687716-2](#)